### PREVOST.

STE-CLAIRE, QUEBEC CANADA GOR 2V0

H345

Serial No.:

### COACH FINAL RECORD

#### 2PCH33490EC712450

ĴĹ	-102
	Coach No.

#

Rev.:

Date: 2013/05/16

1 1 1

Customer:

PARTS NAME	PART NUMBER	MAKE / MODEL	SERIAL
DEF Dosing Valve Cooling	21575532	VOLVO	044404300530109038
DEF Pump Module Cooling	21576178		05604
Module ACM Cooling	21870087	#PIECE DU FOURNISSEUR: 21870087	13160190
NOx Sensor Inlet Cooling	21636091		1314407316644E06
NOx Sensor Outlet Cooling	22014032	25898 CONTINENTAL AUTOMOTIVE SYSTEMS INC #22014032	1312103616643E07
SCR Assembly Cooling	21437514	VOLVO #21488930	T12400002925168
Engine	MOTEUR VOLVO H345	VOLVO D13H435	0131025671
Transmission	572138	ALLISON #E018853	1\$6610369293
Air Filter El.	530206	NELSON DIVISION #7182 8N	
Alternator 1 Motor	564119	REV A: ROBERT BOSCH #0124655079	270213 1332
Alternator 2 Motor	564119	REV A: ROBERT BOSCH #0124655079	270213 1331
Belt	5061285	DAYCO, MARK IV INDUSTRIES CANADA #21-2212	
Belt	5060110	DAYCO #21-2112	
Front Bellow	630258	GOODYEAR #1R12631	
Front Bellow	630162	GOODYEAR CANADA INC. #1R12-406	
Rear Bellow	630260	GOODYEAR TIRE & RUBBER CO. #IR11-243	· · · · · · · · · · · · · · · · · · ·
Tag Bellow	630162	GOODYEAR CANADA INC. #1R12-406	
Tag Bellow	630258	GOODYEAR #1R12631	
Auxiliary Axle Tag	621808	MOULES ET MODELES PCM INC. #621808	E158
NEW TAG DATE COULÉ	621808	MOULES ET MODELES PCM INC. #621808	210113
Front Axle	611351	REV A: DANA CORP.COMMERCIAL VEH. #K26929	P13052032F
Differential	621864	ARVINMERITOR, INC. 52037 #RC23165NFCF24 3.58	SNWK00514696
Air Dryer	21440978	VOLVO #(21440978)	CIT III III COST TOPO
Steering Box	661137	ZF #8098 955 817	
ompressor Big	950001	BITZER REV. A: 4NFCY-012	2584164270
Particle filter	21470436	VOLVO	278513114
Condenser Motor 1	565881	EBMPAST #W3G300-ER40-75	0600110041303003RRDW3 G3
Condenser Motor 2	565881	EBMPAST #W3G300-ER40-75	0600110041303003RREW3 G3
Condenser Motor 3	565881	EBMPAST #W3G300-ER40-75	0600110041303003RR5W3 G3
Condenser Motor 4	565881	EBMPAST #W3G300-ER40-75	0600110041303003RR6W3 G3
Evaporator Motor	564216	AMETEK ROTRON #150215-00	06MAR13003024
Dryer	950332	ALCO CONTROL #064904	
Seat Driver	864372	REV A: ISRI #86728-01/00	63122408882-8
Radiator CAC	21576796	REV A: TITANX #1040254-CR	S201030352-CS00124
Radiator 1	21576796	REV A: TITANX #1040254-CR	S181040254-CR01855
Radiator 2	21576796	REV A: TITANX #1040254-CR	S021003673-C01347
Tires		MICHELIN	76184
		B6D735CX1513, B6D735CX0913, B6D735CX1513,	
		B6D735CX1513, B6D735CX1513, B6D735CX1513,	
		B6D735CX1513, B6D735CX0913, B6D735CX1613	
Wheel Size		ACCURIDE	29300PK-SLV21
		ALCOA	894641DB
			894642DB
			894643DB

#### PAINT SECTION

PAINT COLOR	MAKE	NUMBER
BLACK (STD)	BASISLACK (STANDOX)	MIX 571
HITE	BASISLACK (STANDOX)	PREV. 000
JILVER	BASISLACK (STANDOX)	PREV. 013

CONTRACTOR OF THE

STE-CLAIRE, QUEBEC CANADA GOR 2V0	H345	Serial No.: 2PCH33490EC712450	+3 )	Coach No.
)ate: 2013/05/16	Customer:			Rev.:
WHITE (ROOF PANEL)	IMRON ELITE (DUP	ONT)	832133 E	F
CLEAR COAT	IMRON ELITE (DUP		8430S	
	I	ERIOR TRIM SECTION		
MATERIAL		COLOR		NUMBER
FLOOR COVERING	GERFLOR SHIP		0764	
LEATHERETTE	BLACK		860424	
	GREY		860585	
FABRIC	NAH 184		864276	
	NAE 184		864279	
CARPET	N/A			
- ROAD SPEED GOV. - IDLE SHUTDOWN: - FUEL PRO 382 - ULTIMATE ENG. - ALLISON AUT. T. - DURABRIGHT WHE. - CHROME NUTS &	15 MINUTES WARRANTY 5Y/500, RANS. WARRANTY/5 EL PROTECTORS	000 MI., PARTS & LABOR (UE-5513) YEARS (W/O RET.)		
<ul> <li>SPLASH GUARDS J.</li> <li>QUICK FRONT KN.</li> <li>ISRI 6832 DRIV.</li> <li>SIRIUS SATELLIJ.</li> <li>TWO EXTRA SPEA.</li> <li>MICROPHONE OUT.</li> </ul>	BETWEEN DIFF. AN EELING SUSP. (LO ER SEAT 3PT. SEA TE RADIO (AM/FM/ KERS IN DRIVER A	W & HIGH BUOY) T BELT AIR SUSP. W/ARMRESTS CD) DASH INST. REA TY PANEL		
<ul> <li>15" WIDE SCREEN</li> <li>CENTRAL 15" FIX</li> <li>WIRING ONLY FON</li> <li>ADDITIONAL 110"</li> <li>SINGLE 1800 WAY</li> <li>TOILET PAPER RO</li> <li>SINK COVERED WAY</li> </ul>	N MONITORS UNDER XED MONITOR QTE R BACK UP CAMERA V OUTLET IN #1 PA TT INVERTOR OLL DISPENSER (9 ITH STEEL PALTE	PARCEL RACK (EA) QTE. 4 . 1 ARCEL RACK LH 00656)	ά.	
- PASSENGER SIDE - CLOSED-TYPE PAI - AMAYA SEATS WI - NO CARD TABLE - SEAT LAYOUT #: - 110V GRAY OUTLM	RCEL RACKS TH SEAT BELTS, 50 D3608290-1-10	-1		

.

CHP40/F/343A-INSPEC1	DRIVER/VEHICLE EXAMINATION REP	ORT inSPECT 1.100.1
California Highwa 1551 Benicia Road Vallejo, CA 94591 Phone: (707) 648-4 Internationally Acc	1402	Report Number: CAA161170890 Inspection Date: 05/23/2018 Start: 1:40 PM PT End: 2:30 PM PT Inspection Level: V - Terminal HM Inspection Type: None
	Driver: License#: Date of Birth:	State:
MC/MX#: 165764 Fax#: ( State#: 322487	#: (707)585-9110         CoDriver:           707)584-4713         License#:           Date of Birth:	State:
Location: SANTA ROSA AREA Highway: County: SONOMA	Milepost: Shipper: N Origin: N/A Destination: N/A	/A Bill of Lading: N/A Cargo: EMPTY
VEHICLE IDENTIFICATION Unit Type Make Year State Plate 1 BU PREO 2014 CA CP78743		R CVSA Existing CVSA # 0
BRAKE ADJUSTMENTSAxle #123RightN/AN/AN/ALeftN/AN/AN/AChamberDISCDISCDISC		
VIOLATIONS:No violations were dis	covered	
HazMat: No HM transported	Placar	d: Cargo Tank:
Special Checks: No data for specia	l checks	×
	8779; File Code Number: 219371; PUC: 215 Capacity: 56: Veh #1 Type: 64: Bus Type:	

Vehicle: N; Fuel Type: D; Passenger Capacity: 56; Veh #1 Type: 64; Bus Type: 1; SPAB Cert: 2/28/2018

<u>Report Prepared By:</u> I. N. DUOA	<u>Badge #:</u> A16117	Copy Receive	<u>ed By:</u>
<u>X</u>		<u>X</u>	
		Page 1 of 1	00260010 CA CAA161170890

CHP407F/343A-in	SPECT		DRIVER/VEH	IICLE EXAMIN	ATION REPOR	, <b> 40</b>	inSPECT 1.0.9
8HD	1551 Ben Vallejo, C Phone: (7	07) 648-41	80	y CHP407F/34	lr S Ir	spection Dat tart: 12:10 PN	r: CAA161170758 e: 02/28/2018 I PD <b>End:</b> 1:30 PM PD rel: V - Terminal Type: None
<b>USDOT</b> : 26001		Dh a ma#u	(707)505 044	Driver: License# Date of B 0 CoDriver:	irth:		State:
MC/MX#: 1657	64		(707)585-911 07)584-4713	License#	:		State:
State#: 322487 Location: SAN Highway: County: SONC	TA ROSA	AREA	Or	Date of B lepost: igin: N/A stination: N/A	irth: Shipper: N/A	Bill of Lac Cargo: EN	
<b>VEHICLE IDEN</b> Unit <u>Type Make</u> 1 BU PREC		e Plate	Equipment ID 1402	<u>VIN</u> 2PCH33490EC		CVSA Existing	<u>CVSA #</u> 25221157
BRAKE ADJUS Axle # 1 Right N/ .eft N/ Chamber DIS	<u>2</u> A N/A	<u>3</u> N/A N/A DISC			4		
IOLATIONS:N	lo violation	s were disc	overed				
HazMat: No HN	A transporte	ed			Placard:	11.52	Cargo Tank:
Special Check	<b>s:</b> No data	for special	checks		1-		
	5407; Odo				71; PUC: 21509 ; Bus Type: 1; S		ehicle: Y; Pre-Cleared /28/2018
<u>Report Prepare</u> . N. DUOA	d B <u>y:</u>		<u>Badge #:</u> A16117	Copy F	Received By:		

Х

Х



00260010 CA CAA161170758

•		4	
	VEHICLE	E REPAIR & SERVICE	E FORM
	UNIT #1402 DATE: 7-31-19	MILEAGE: 331,063	MECHANIC: JAmes
		IS REPAIRED OR REPLACI	
	TIRES	TIRE PRESURES	BRAKE PADS
	Left front 🛛 Right front	Left front 120_Right front 12	22 Left front [] Right front []
	Left O/drive [] Right O/drive []	Left O/dr Right O/dr	Left O/dr [] Right O/dr []
	Left I/drive [] Right I/drive []	Left I/drRight I/dr	_ Left I/dr [] Right I/dr []
	Left tag [] Right tag []	Left tag Right tag	_ Left tag [] Right tag []
	Windshields	Wiper Blades	_Batteries
	Engine belts: Cooling fans:	A/C	_ Alts.:
	Warranty Part Numbers for replace	ment:	
17	1:		
	2:		<u></u>
	3:		
	4:		
	5:		<sup></sup>
8 <sup>1</sup> -	6:	· · · · · · · · · · · · · · · · · · ·	
19 <sup>0</sup> (1	LIST REPAIRS AND DISCRIPTION O	DF WORK	•
	Replaced LH	& RA FRONT TIRES	WITH NEW ONES
	a.	/	
	5		
	14 D (12)		
		i in the second se	
			and the second sec
		$\cap$	nin A-
	TOTAL WORK HOURS:	MECHANIC'S SIGNATURE	Emg CH Buthen
	α <sup>6</sup> γ.	and the first	

and the second second

len festi i fo

	UNIT# 1402 DATE 7-23-19 MILEAGE 330 358
	[] 1.Entrance door, operation, markings, hand rails
	[] 2.Instruments, dash lights, switches, knobs, levers, readouts, gauges
Y	[] 3.Horns-air and electric
ι <b>γ</b>	[] 4. Drivers seat-mounting, adjustment, seat belt
M	[] 5.Air compressor/governor- cut in/cut out 85 min-130 max psi
¥.	[ ] 6.Brake air leaks- 2 psi/minute (static), 3 psi/minute (applied)
5	[ ] 7.Low air warning- audible and or visual 60 psi min
	[] 8.Air tanks- drain, test check valves, perform split system test
	<ul> <li>9.Fire extinguisher, triangle reflectors(3), first aid kit (optional)</li> <li>10.Restroom- lighting, seat, venting, flush, dump valves, holding tank(s)</li> </ul>
	[ ] 11.Exterior lights, turn signals, emergency flashers, back up alarm and lights
المع مارير ما	[] 12.Windshields, wipers, squirters, defrosters, sun shades, mirrors
1	[] 13.Windows- cracks, mounting, leaks, labeling
	[] 14.Emergency exits- roof hatches, side windows, labeling and operation
	[] 15.Multimedia system- PA, audio/video, CD/DVD, amp, speakers
	[] 16.HVAC- function, fans, motor brushes, filters, leaks
	[] 17.Passenger seats- mounting, seat belts, condition, sliding (if W/C equipped)
	[] 18.Interior lighting and markings
IL	[] 19.Luggage bays- latches, handles, door operation, lighting
	[] 20.Batteries-flud, terminals, cables, corrosion, hold down, shut off switch
	[ ] 21.Engine bay- cleanliness, fluid leaks, fluid levels, belts, pulleys, mounts
	[] 22. Engine accessories- mounting, cables, hoses, function
	[] 22. Engine accessories- mounting, cables, hoses, function [X] 2 Alternator mounting, cables, ducting, pulleys, output
	[ ] 24.Exhaust- leaks, mounting, tail pipe, overall condition
	[] 25.Fuel system- leaks, hose routing, securement, tank mounting, filler necks/caps
	[ ] 26.Cooling system-leaks, radiator, hoses, miter box, fan clutch, coolant level
	[] 27.Air system overall- air dryer, valves, lines, hoses
	[] 28.Brakes- lining thickness, rotors, cracks, chambers, adjustment, operation
-	[] 29.Parking brake- push/pull, release/apply, stays applied with complete loss of air
	<ul> <li>[ ] 30.Wheels, tites- cracks, lug nuts/studs, tread depth, separation, pressure</li> <li>[ ] 31.Hubs- end play, leaks, ABS sensor, overall condition</li> </ul>
	[] 32.Suspension- air bags, radius rods, bushings, shocks, mounting, leveling valves
	[] 33.Steering- king pins, ball joints, linkage, steering box, hoses, noise, function
	[] 34. Transmission/differential- function, leaks, fluid level, vents, mounting
	[] 35.Drive shaft- U-joints, slip joint, dents, clocking, safety hoop, straps, bolts
	[] 36.Frame- cracks, dents, damage, rust, holes, crossmembers, mounting
	[] 37.Chassis and undercarriage- overall condition, lubrication, dirt, grime build up
	-1-38 Wheelchair lift- operation, safetys, markings, leaks, fluid level, cleantiness
Not	tes:
Med	chanic SAMES Signature Tams C Buy Ken
	inspection is equal to: Annual 49CFR 396.17-23 Apendix C and V/C 34505 Title 13 CCR 1232(b)

Ľ

UNIT # 1402 DATE: 7-23-19	MILEAGE: 330, 358	3_MECHANIC: JAMES
	IS REPAIRED OR REPLA	
TIRES	TIRE PRESURES	BRAKE PADS
Left front [] Right front []	Left frontRight front	Left front [ ] Right front [
Left O/drive [] Right O/drive []	Left O/dr Right O/dr_	Left O/dr [] Right O/dr [
Left I/drive [] Right I/drive []	Left I/dr Right I/dr	Left I/dr [] Right I/dr []
Left tag [] Right tag []	Left tag Right tag	Left tag [] Right tag []
Windshields	Wiper Blades	Batteries
Engine belts: Cooling fans:	A/C:	Alts.:
Warranty Part Numbers for replacer	nent:	
1:		
4:		
5:		
5: 6:		
5:6:	F WORK	•
5:6:		
5:6:	F WORK	•
5:6:	F WORK	
5:6:	F WORK	
5:6:	F WORK	•
5:6:	F WORK	

÷,

а. 506 со <sup>50</sup> л г. т. т. т.	<u>8</u>	
VEHICL	E REPAIR & SERVIC	EFORM
UNIT # 1402 DATE: 7-879	MILEAGE: 330, 234	MECHANIC JAMES
	MS REPAIRED OR REPLAC	
TIRES	TIRE PRESURES	BRAKE PADS
Left front [] Right front []	Left front Right front	Left front [] Right front []
Left O/drive [ ] Right O/drive [ ]	Left O/dr Right O/dr	Left O/dr [] Right O/dr []
Left I/drive [] Right I/drive []	Left I/dr Right I/dr	Left I/dr [] Right I/dr []
Left tag [] Right tag []	Left tag Right tag	Left tag [] Right tag []
Windshields	Wiper Blades	Batteries
Engine belts: Cooling fans:	A/C:	Alts.:
Warranty Part Numbers for replac	ement:	
1:		
2:		
3:		
4:	6	
5:		
6:	*	
LIST REPAIRS AND DISCRIPTION		
REP/ACED	RADIATOR CAP IN	INTH NEW AND
ADDEN 2 CAR	RADIATOR CAP W 11005 CoolANT	
$\sim \gamma \sim \gamma m$		×.
	The second of th	and an and the second sec
ha k		
TOTAL WORK HOURS:	MECHANIC'S SIGNATURE	Frank ABenda
TOTAL WORK HOURS:	_ MECHANIC'S SIGNATURE	Jamp Berfran

đ

. ×

UNIT # 1402 DATE: 6-20 "	E REPAIR & SERVICE	
<u>ITEN</u>	19 MILEAGE: 350, 234	120
<u>ITEN</u>		MECHANIC: MANUES
TIDES	IS REPAIRED OR REPLACI	
TIKEO	TIRE PRESURES	BRAKE PADS
Left front [] Right front []	Left frontRight front	_ Left front [] Right front []
Left O/drive [] Right O/drive []	Left O/dr Right O/dr	Left O/dr [] Right O/dr []
Left I/drive [] Right I/drive []	Left I/dr Right I/dr	_ Left I/dr [] Right I/dr []
Left tag [] Right tag []	Left tag Right tag	_ Left tag [] Right tag []
Windshields	Wiper Blades	_Batteries
Engine belts: Cooling fans:	A/C:	Alts: WATCE
Warranty Part Numbers for replace	ment:	premp
1:		
2:	4	
	84 - <sup>329</sup> 14	
	14	
5:		
6:		
LIST REPAIRS AND DISCRIPTION O		( <b>x</b> )/
REPLACED ALL	TENSIDATED Pullicy M	Buchung where aler
ONTE	ground rund h	hesting bour ayear
Lippingen intra	ES PURA Kat 1	Bushing with New
	er- 1 and Deci W	IN NOC SALE
		<b>NAL \$1</b>
	d'	
OTAL WORK HOURS:	MECHANIC'S SIGNATURE	Em ABanfran

ļ

8

	2	
VEHICL	E REPAIR & SERVI	CE FORM
UNIT # 1402 DATE: 6-19.19	2	MECHANIC: JAMES
JTE.	MS REPAIRED OR REPLA	ACED.
TIRES	TIRE PRESURES	BRAKE PADS
Left front [] Right front []	Left frontRight front_	Left front [] Right front []
Left O/drive [ ] Right O/drive [ ]	Left O/drRight O/dr_	Left O/dr [] Right O/dr []
Left I/drive [] Right I/drive []	Left I/dr Right I/dr	Left I/dr [ ] Right I/dr [ ]
Left tag [], Right tag []	Left tag Right tag	Left tag [] Right tag []
Windshields	Wiper Blades	Batteries
Engine belts: Cooling fans:	A/C:	Alts.:
Warranty Part Numbers for replace		
1:		
2:		k
3:		
4:	9 <sup>10</sup>	
. 5:		
6:		· · · · · ·
LIST REPAIRS AND DISCRIPTION	1.	
	CANSMISSION PLACED	
REPLACED TRAN	SMKSOW FUTOS U	VITH NEW ONES
ABPRIRED FRAN AN PLUE	12 Dump Amar	SLE CONTE MISSING
1 		
TOTAL WORK HOURS:	_ MECHANIC'S SIGNATURE	and Benten

4 à.,

è.

00 - 60

-----

UNIT# 1402 DATE 6-5-19 MILEAGE 328,639 OK DEF [1] 1.Entrance door, operation, markings, hand rails ] 2.Instruments, dash lights, switches, knobs, levers, readouts, gauges 

 [X]
 []
 3.Horns- air and electric

 [X]
 []
 4.Drivers seat- mounting

 [X]
 []
 5.Air compressor/govern

 [ ] 4. Drivers seat- mounting, adjustment, seat belt [ ] 5.Air compressor/governor- cut in/cut out 85 min-130 max psi [] 6.Brake air leaks- 2 psi/minute (static), 3 psi/minute (applied) 7.Low air warning- audible and or visual 60 psi min [] 8. Air tanks- drain, test check valves, perform split system test [ ] 9 Fire extinguisher, triangle reflectors(3), first aid kit (optional) [ ] 10.Restroom- lighting, seat, venting, flush, dump valves, holding tank(s) [X] [] 11. Exterior lights, turn signals, emergency flashers, back up alarm and lights [1] 12. Windshields, wipers, squirters, defrosters, sun shades, mirrors [¥ [ ] 13. Windows- cracks, mounting, leaks, labeling () 14.Emergency exits- roof hatches, side windows, labeling and operation 🚺 [] 15.Multimedia system- PA, audio/video, CD/DVD, amp, speakers 1 16.HVAC- function, fans, motor brushes, filters, leaks [M [] 17.Passenger seats- mounting, seat belts, condition, sliding (if W/C equipped) 12 [ ] 18. Interior lighting and markings [] 19.Luggage bays- latches, handles, door operation, lighting [ ] 20.Batteries- fliud, terminals, cables, corrosion, hold down, shut off switch [ ] 21. Engine bay- cleanliness, flaid leaks, fluid levels, belts, pulleys, mounts [1] 22. Engine accessories- mounting, cables, hoses, function 23.Alternators- mounting, cables, ducting, pulleys, output [ ] 24.Exhaust- leaks, mounting, tail pipe, overall condition [ ] 25. Fuel system-leaks, hose routing securement, tank mounting, filler necks/caps [ ] 26.Cooling system- leaks, radiator, hoses, miter box, fan clutch, coolant level [x] [] 27.Air system overall- air dryer, valves lines, hoses [] 28.Brakes- lining thickness, rotors, cracks, chambers, adjustment, operation [] 29.Parking brake- push/pull, release/apply, stays applied with complete loss of air ĪŃ [] 30. Wheels, tires- cracks, lug nuts/studs, tread depth, separation, pressure [1] [ ] 31. Hubs- end play, leaks, ABS sensor, overall condition [1] 32 Suspension- air bags, radius rods, bushings, shocks, mounting, leveling valves [] 33.Steering- king pins, ball joints, linkage, steering bux, hoses, noise, function M [] 34. Transmission/differential- function, leaks, fluid level, vents, mounting 🔀 [ ] 35.Drive shaft- U-joints, slip joint, dents, clocking, safety hoop, straps, bolts 54 [ ] 36.Frame- cracks, dents, damage, rust, holes, crossmembers, mounting 🕅 [ ] 37. Chassis and undercarriage- overall condition, lubrication, dirt, grime build up N/A-[]] 38. Wheelchair lift operation, safetys, markings, leake, fluid toyel, cleanliness Notes: Mechanic: JAMES Signature This inspection is equal to: Annua -9CFR 396.17-23 Apend 2 and V/C 34505 Title 13 CCR 1232(b)

2		
VEHICL	E REPAIR & SERVICE	FORM
UNIT #1462 DATE: 4-18-1		
	MS REPAIRED OR REPLACE	-
TIRES	TIRE PRESURES	BRAKE PADS
Left front [] Right front []	Left front Right front	_ Left front [] Right front []
Left O/drive [] Right O/drive []	Left O/dr Right O/dr	Left O/dr [] Right O/dr []
Left I/drive [] Right I/drive []	Left I/dr Right I/dr	_ Left I/dr [] Right I/dr []
Left tag [] Right tag []	Left tag Right tag	_ Left tag [] Right tag []
Windshields/		
Engine belts: Cooling fans:	A/C:	ATAD WATER PULLE
Warranty Part Numbers for replace		
1:	n <sup>16</sup> - <u>H</u>	1
4:	a a k	
6:		
LIST REPAIRS AND DISCRIPTION (		
- 4	DRIVER SIDE WINDSI	TED INTH JEAL
ONE	Sectore Grade Willias	I CLO WITH NOW
REPLOCED BE	TH DITEDNAME	is still lad a for
REPLACED AL	R CLEANER WITH	WITH NEW ONES
REDIADED WATE	2 Punto & Olina la	VOU DNE OT 6625
	R Pump & AltERNAT	OR DEITS WITH
NEU DAIES	-	, 
		2
	de la construcción de la	
κ. K		A /
TOTAL WORK HOURS:	_ MECHANIC'S SIGNATURE	was A Buy han
5. S.	$\mathcal{T}$	
	A Charles and the second s	Press And Andreas

зŔ

00 (AR) (B) (B)

1000

(11) 1

r.,

120	9 U	
VEHICLE	REPAIR & SERVIC	EFORM
UNIT #: 1402 DATE: 4-16-19	MILEAGE: 327, 94	3_MECHANIC JAMES GREEG
	S REPAIRED OR REPLA	l
TIRES	TIRE PRESURES	BRAKE PADS
Left front [] Right front []	Left frontRight front	Left front [X Right front [X
Left O/drive [] Right O/drive []	Left O/drRight O/dr	Left O/dr [] Right O/dr []
Left I/drive [] Right I/drive []	Left I/drRight I/dr	Left I/dr [] Right I/dr []
Left tag [] Right tag []	Left tag Right tag	Left tag [] Right tag []
Windshields	_ Wiper Blades	Batteries
Engine belts: Cooling fans:	A/C:	Alts.:
Warranty Part Numbers for replacem	ent:	
1:		
2:	186	
3:		
4:		
5:	<u>م</u>	ł.
6:		
LIST REPAIRS AND DISCRIPTION OF	WORK	
REPLACED	LH & RH FA	RONT RUTORS
WITH NEW ONES		
REPLACED L	4 FRH FROM	T BRAKE PADS
WITH NEW ONE	\$	
		· · · · · · · · · · · · · · · · · · ·
×		
	1 <sup>24</sup>	
TOTAL WORK HOURS:	MECHANIC'S SIGNATURE:	Jams & Bughan

i

UNIT# 1402 DATE 3-8-19 MILEAGE 326, 248 OK DEF [1] 1.Entrance door, operation, markings, hand rails
 [2] 2.Instruments, dash lights, switches, knobs, levers, readouts, gauges [] 3.Horns-air and electric 4. Drivers seat- mounting, adjustment, seat belt [ ] 5.Air compressor/governor- cut in/cut out 85 min-130 max psi [ ] 6.Brake air leaks- 2 psi/minute (static), 3 psi/minute (applied) Mg [ ] 7.Low air warning- audible and or visual 60 psi min [] 8.Air tanks- drain, test check valves, perform split system test [] 9. Fire extinguisher, triangle reflectors(3), first aid kit (optional) 10.Restroom- lighting, seat, renting flush, dump valves, holding tank(s) [] 11.Exterior lights, turn signals, emergency flashers, back up alarm and lights 12. Windshields, wipers, squirters, defrosters, sun shades, mirrors [] [] 13.Windows- cracks, mounting, leaks, labeling RESEVOIR [2] [ ] 14. Emergency exits- roof hatches, side windows, labeling and operation 15.Multimedia system- PA, audio/video, CD/DVD, amp, speakers [ ] 16.HVAC- function, fans, motor brushes, fifters leaks
 [ ] 17.Passenger seats- mounting, seat belts, condition, sliding (if W/C equipped) LIGHT CONSES [1] [] 18.Interior lighting and markings Hours Assection 1 19. Luggage bays-latches, handles, door operation, lighting AS SACKIUS [ ] 20.Batteries- fliud, terminals, cables, corrosion, hold down, shut off switch [1] 21.Engine bay- cleanliness, fluid leaks, fluid levels, belts, pulleys, mounts () [ ] 22. Engine accessories- mounting, cables, hoses, function 23.Alternators- mounting, cables, ducting, pulleys, output 24.Exhaust-leaks, mounting, tail pipe, overall condition OPINCE CANAVISTER 1 25. Fuel system- leaks, hose routing, securement, tank mounting, filler necks/caps [] 26.Cooling system- leaks, radiator, hoses, miter box, fan clutch, coolant level e hites [ ] 27. Air system overall- air dryer, valves, lines, hoses 1 28.Brakes- lining thickness, rotors, cracks, chambers, adjustment, operation [ ] ] 29.Parking brake- push/pull, release/apply, stays applied with complete loss of air [ ] 30.Wheels, tires- cracks, lug nuts/studs, tread depth, separation, pressure WL 1 131. Hubs- end play, leaks, ABS sensor, overall condition 32. Suspension- air bags, radius rods, bushings, shocks, mounting, leveling valves [1] 33. Steering- king pins, ball joints, linkage, steering box, hoses, noise, function 1 ] 34. Transmission/differential- function, leaks, fluid level, vents, mounting [ ] 35.Drive shaft- U-joints, slip joint, dents, clocking, safety hoop, straps, bolts [] 36. Frame- cracks, dents, damage, rust, holes, crossmembers, mounting 1 [] 37.Chassis and undercarriage- overall condition, lubrication, dirt, grime build up 1 1 38 Wheelchair lift- operation safetys, markings, leaks fluid level, eleanliness Notes: JANG Signature: Mechanic: This inspection is equal to: Annual 49CFR 396.17-23 Apendix 5 and V/C 34505 Title 13 C CR 1232(b)

VEHICLE REPAIR & SERVICE FORM								
UNIT # 140 2 DATE: 3-8-19	MILEAGE:	326,248	MECHANIC: JAMES					
ITEMS REPAIRED OR REPLACED								
TIRES	TIRE PRES	URES	BRAKE PADS					
Left front [] Right front []	Left front	Right front	_ Left front [] Right front []					
Left O/drive [] Right O/drive []	Left O/dr	Right O/dr	Left O/dr [] Right O/dr []					
Left I/drive [] Right I/drive []	Left I/dr	Right I/dr	Left I/dr [] Right I/dr []					
Left tag [] Right tag []	Left tag	Right tag	_ Left tag [] Right tag []					
Windshields	_ Wiper Blades	5	_Batteries					
Engine belts: Cooling fans:	A/C:		_ Alts.:					
Warranty Part Numbers for replacem	ient:							
1:								
2:								
3:								
4:			· · ·					
5:								
6:								
LIST REPAIRS AND DISCRIPTION OF								
CLEANED All A	C FILTER	5 & BATI	therm iten scher					
			TTER WITH NEW DNE					
FILLED WINKSHIGH WASHER FLUED RESEVONE								
FILED Z CADES	one s	et						

TOTAL WORK HOURS: \_\_\_\_\_ MECHANIC'S SIGNATURE' 7

O.Befran

	E REPAIR &		
UNIT #: 1402 DATE: 3-6-14	MILEAGE	6,248	MECHANIC: JHMES
ITEN	MS REPAIRED (	OR REPLAC	ED
TIRES	TIRE PRESU	RES	BRAKE PADS
Left front [] Right front []	Left front	_ Right front	Left front [] Right front []
Left O/drive [ ] Right O/drive [ ]	Left O/dr	Right O/dr	Left O/dr [] Right O/dr []
Left I/drive [] Right I/drive []	Left I/dr	Right I/dr	Left I/dr [] Right I/dr []
Left tag [] Right tag []	Left tag	Right tag	Left tag [] Right tag []
Windshields	Wiper Blades		_Batteries
Engine belts: Cooling fans:	A/C:		_ Alts.:
Warranty Part Numbers for replace	ment:	c <del>7</del>	
1:			
2:			
3:		. <u> </u>	
4:			
5:			
6:			
LIST REPAIRS AND DISCRIPTION C			7
REPLACED MIK	LER CLASS	IN DRI	VERS SIDE REAR
VIEW MIRPOR	and Mous	MINE BR	CACKET REPLACED
52			
· · · · · · · · · · · · · · · · · · ·			
1 <sup>2</sup>			
	.e.	Alema	
OTAL WORK HOURS:	MECHANIC'S S	C	hand A
	MECHANIC 5 S	IGNALURE 7	The second is the second secon

**`** 2

11天

1.1

ж ж

î

r įa

UNIT#1402 DATE 2-4-19 MILEAGE 327518
OKDEF
[4] 1.Entrance door, operation, markings, hand rails
2. Instruments, dash lights, switches, knobs, levers, readouts, gauges
[/] ] 3.Horns- air and electric
4. Drivers seat- mounting, adjustment, seat belt
5. Air compressor/governor- cut in/cut out 85 min-130 max psi
[ ] 6.Brake air leaks- 2 psi/minute (static), 3 psi/minute (applied)
[/] 7.Low air warning- audible and or visual 60 psi min
[/] [] 8.Air tanks- drain, test check valves, perform split system test
9 Fire extinguisher, triangle reflectors(3), first aid kit (optional)
[ ] 10.Restroom- lighting, seat, venting, flush, dump valves, holding tank(s)
[] 11.Exterior lights, turn signals, emergency flashers, back up alarm and lights
12. Windshields, wipers, squirters, defrosters, sun shades, mirrors
[] 13. Windows- cracks, mounting, leaks, labeling
[ ] 14. Emergency exits- roof hatches, side windows, labeling and operation
[1] 15.Multimedia system- PA, audio/video, CD/DVD, amp, speakers
[ / ] 16.HVAC- function, fans, motor brushes, filters, leaks
[ ] 17. Passenger seats- mounting, seat belts, condition, sliding (if W/C equipped)
[] 18. Interior lighting and markings
[1] 19.Luggage bays- latches, handles, door operation, lighting
[/] 20.Batteries- fliud, terminals, cables, corrosion, hold down, shut off switch
[ ] 21.Engine bay- cleanliness, fluid leaks, fluid levels, belts, pulleys, mounts
[-] [-] 22 Engine accessories- mounting, cables, hoses, function
[ ] 23.Alternators- mounting, cables, ducting, pulleys, output
[Y [] 24.Exhaust-leaks, mounting, tail pipe, overall condition
[J] 25. Fuel system- leaks, hose routing, securement, tank mounting, filler necks/caps
[ ] 26.Cooling system- leaks, radiator, hoses, miter box, fan clutch, coolant level
[0] ] 27 Air system overall- air dryer, valves, lines, hoses
[3] 28. Brakes- lining thickness, rotors, cracks, chambers, adjustment, operation
[.] 29.Parking brake- push/pull, release/apply, stays applied with complete loss of air
[7] ] 30.Wheels, tires- cracks, lug nuts/studs, tread depth, separation, pressure
[] [] 31.Hubs- end play, leaks, ABS sensor, overall condition
[2] ] 32.Suspension- air bags, radius rods, bushings, shocks, mounting, leveling valves
[*] [ ] 33.Steering- king pins, ball joints, linkage, steering box, hoses, noise, function [*] [ ] 34.Transmission/differential- function, leaks, fluid level, vents, mounting
[*] [ ] 54. Hansinission/unrelential-function, leaks, numbered, vents, mounting
[/] [] 35.Drive shaft- U-joints, slip joint, dents, clocking, safety hoop, straps, bolts [] 36.Frame- cracks, dents, damage, rust, holes, crossmembers, mounting
[4] [ ] 37. Chassis and undercarriage- overall condition, lubrication, dirt, grime build up
- 38. Wheelchair lift- operation, safetys, markings, leaks, fluid level, cleanliness
< 11100.4 methodol and $1000000000000000000000000000000000000$
Notes:

Mechanic: C/

Signature:

This inspection is equal to: Annual 49CFR 396 17-23 Apendix G and V/C 34505 Title 13 CCR 1232(b)

e zyje o o o o o o o o o o o o o o o o o o o	
ν.	
VEHICLE	E REPAIR & SERVICE FORM
UNIT #: 1402 DATE: 1-14-19	MILEAGE: 322,542 MECHANIC: JAME
ITEN	IS REPAIRED OR REPLACED
TIRES	TIRE PRESURES BRAKE PADS
Left front [,], Right front []	Left front [] Right front [] Right front []
Left O/drive [] Right O/drive []	Left O/dr [] Right O/dr [] Right O/dr []
Left I/drive [] Right I/drive []	Left I/dr Right I/dr [] _Right I/dr []
	Left tag Right tag Left tag [] Right tag []
	Wiper Blades Batteries
Engine belts: Cooling fans:	A/C: Aits.:
Warranty Part Numbers for replace	ment:
2:	
3:	
4:	
5:	
6:	
LIST REPAIRS AND DISCRIPTION C	DF WORK
(DOOR SIDE)	FRONT AIR BAG WITH NEW ONE
	ITERNATORS WITH NEW ONES
Lettaceo LH He	GAD LITE ASSEMBLY WITH NEW ONE
	× * * * * *
	A Sankton on the second s
	$\wedge$ $\cdot$
TOTAL WORK HOURS:	_ MECHANIC'S SIGNATURE ansch Bunglan
a. 96	

1.11

and the second s

2 34 WEAR

and a second second

The Article Arth and a second (

et a trans not a trans not a

7.

·	UNIT# 1402	DATE 1-10-19	MILEAGE 322	548	
CLEAR CARE FARMERS I 28 ELLI STARES CERCENCIER SCALE CONTINUE CONT	<ul> <li>EF</li> <li>1. Entrance door, of</li> <li>2. Instruments, das</li> <li>3. Horns- air and e</li> <li>4. Drivers seat- mod</li> <li>5. Air compressor/</li> <li>6. Brake air leaks-</li> <li>7. Low air warning-</li> <li>8. Air tanks- drain,</li> <li>9. Fire extinguisher</li> <li>10. Restroom- light</li> <li>11. Exterior lights, f</li> <li>12. Windshields, wit</li> <li>13. Windows- crack</li> <li>14. Emergency exit</li> <li>15. Multimedia syst</li> <li>16. HVAC- function</li> <li>17. Passenger seat</li> <li>18. Interior lighting at</li> <li>19. Luggage bays-I</li> <li>20. Batteries- fliud,</li> <li>21. Engine bay- cleat</li> <li>22. Engine accesso</li> <li>23. Alternators- mod</li> <li>24. Exhaust- leaks,</li> <li>25. Fuel system- leat</li> <li>26. Cooling system-</li> <li>27. Air system overation</li> <li>28. Brakes- lining th</li> <li>29. Parking brake- p</li> <li>30. Wheels, tires- crist.</li> <li>33. Steering- king pi</li> <li>34. Transmission/dif</li> <li>35. Drive shaft- U-jo</li> <li>36. Frame- cracks, of</li> <li>37. Chassis and uncomposite a</li></ul>	operation, markings, hand rails sh lights, switches, knobs, level lectric punting, adjustment, seat belt governor- cut in/cut out 85 min- 2 psi/minute (static), 3 psi/minu- audible and or visual 60 psi m test check valves, perform split r, triangle reflectors(3), first aid ing, seat, venting flush, dump up signals, emergency flasher pers, squirters, defrosters, sun (s, mounting, leaks, labeling s- roof hatches, side windows, em- PA, audio/video, CD/DVD, , fans, motor brushes, filters, leas s- mounting, seat belts, condition	rs, readouts, gauges 130 max psi tte (applied) in t system test kit (optional) valves, holding tank(s) s, back up alarm and light shades, mirrors labeling and operation amp, speakers aks on, sliding (if W/C equipped h, lighting ld down, shut off switch , belts, pulleys, mounts function output dition tank mounting, filler necks ox, fan clutch, coolant levels sers, adjustment, operation pplied with complete loss th, separation, pressure dition tocks, mounting, leveling y box, hoses, noise, function evel, vents, mounting safety hoop, straps, bolts asmembers, mounting brication, dirt, grime build	beurges sibe autor Biasts ad) s/caps ad) of air Nonsellaring valves on	E HEADL
2	456	······································	44-0		
	2		1. A.	a <sup>1</sup>	
() <b></b>	it the sur-				8

1.....

2

	MILEAGE	
TIRES	TIRE PRESURES	BRAKE PADS
Left front [] Right front []		1990) 1990)
Left O/drive [] Right O/drive []		2020
Left I/drive [] Right I/drive []		
_eft tag [] Right tag []		
Windshields		
Engine belts: Cooling fans:		
		a 30°
H NEW ONE	FRONT DRIVERS SID	E HEADLITE ASSEM
IST REPAIRS AND DISCRIPTION C REPTACED LH H NEW ONE	FRONT DRIVERS SID	E HEADLITE ASSEM

	28			
VEHICLE	REPAIR &	SERVIC	FEORM	
UNIT #: 1402 DATE: 12-5-18		10		Íroy
ITEM	S REPAIRED	OR REPLAC	ED,	J
TIRES	TIRE PRESL	IRES	BRAK	<u>PADS</u>
Left front [] Right front []	Left front	_ Right front	Left front [	] Right front [ ]
Left O/drive [v] Right O/drive [v]	Left O/dr	_Right O/dr	Left O/dr [	] Right O/dr [ ]
Left I/drive [v] Right I/drive [v]	Left I/dr	Right I/dr	Left I/dr [	Right I/dr [ ]
Left tag [] Ríght tag []				-
Windshields	Wiper Blades_		Batteries	
Engine belts: Cooling fans:	A/C:		_ Alts.:	
Warranty Part Numbers for replacen	nent:	14	.e.	
1:				
2:				
3:		÷		
4:				
5:				
6:				
LIST REPAIRS AND DISCRIPTION OF	WORK			
Drive tires Rotors Bo	th sides	Replace	d	
Replaced hub seals or				
Replaced Drive tire	inner and	outer J	Both Sides	5
······································	910 (		3	
-				
Na				
	3* .			
891-182 - #			Fer	$\geq$
TOTAL WORK HOURS:	MECHANIC'S	SIGNATURE	A-	
24 25	<u> </u>	6	5.39	
97 10	ā		14	

-

1 ....

i

,

ļ

	the second se	 		and a second of the second of	
			~		
	$\Gamma$			6	
A A T	Fr /	Cimpoturo		1770 C	
Mechanic:	V	Signature:			
					-

This inspection is equal to: Annual 49CFR 396 17-23 Apendix G and V/C 34505 Title 13 CCR 1232(b)

NIT# 1402 DATE 10-30 -18 MILEAGE 316, 363 OK DEF ] 1.Entrance door, operation, markings, hand rails [**V**] [ [4] [ ] 2.Instruments, dash lights, switches, knobs, levers, readouts, gauges [] ] 3.Horns- air and electric [] 4.Drivers seat-mounting, adjustment, seat belt 💋 [ ] 5 Air compressor/governor- cut in/cut out 85 min-130 max psi [ ] 6.Brake air leaks- 2 psymmute (state), 5 period [K] [ ] 7.Low air warning- audible and or visual 60 psi min [K] [ ] 7.Low air warning- tost check valves, perform splits [ ] 6.Brake air leaks- 2 psi/minute (static), 3 psi/minute (applied) [1] 8. Air tanks- drain, test check valves, perform split system test [V] [ ] 9. Fire extinguisher, triangle reflectors(3), first aid kit (optional) 1 1 1 10. Restroom- lighting, seat, venting flush, dump valves, holding tank(s) 1 [] 11.Exterior lights, turn signals, emergency flashers, back up alarm and lights [] 12 Windshields, wipers, squirters, defrosters, sun shades, mirrors [] 13.Windows- cracks, mounting, leaks, labeling 14.Emergency exits- roof hatches, side windows, labeling and operation [V] [ ] 15.Multimedia system- PA, audio/video, CD/DVD, amp, speakers [] 16.HVAC- function, fans, motor brushes filters, leaks [] 17.Passenger seats- mounting, seat belts, condition, sliding (if W/C equipped) [ ] 18. Interior lighting and markings [V] [] 19.Luggage bays- latches, handles, door operation, lighting [ ] 20.Batteries- fliud, terminals, cables, corrosion, hold down, shut off switch [ ] 21. Engine bay- cleanliness, fluid leaks, fluid levels, belts, pulleys, mounts [] 22.Engine accessories- mounting, cables, hoses, function [ ] 23.Alternators- mounting, cables, ducting, pulleys, output [] 24.Exhaust- leaks, mounting, tail pipe, overall condition [ ] 25. Fuel system- leaks, hose routing, securement, tank mounting, filler necks/caps [1] 26.Cooling system- leaks, radiator, hoses, miter box, fan clutch, coolant level REPLACE DRIVE ARLE PROVE PAOS 127 Air system overall- air dryer, valves, lines, hoses [] X 28. Brakes- king thickness, rotors, cracks, chambers, adjustment, operation [y] [ ] 29. Parking brake- push/pull, release/apply, stays applied with complete loss of air [] 30.Wheels, tires- cracks, lug nuts/studs, tread depth, separation, pressure [] ] 31.Hubs- end play, leaks, ABS sensor, overall condition 2 [] 32.Suspension- air bags, radius rods, bushings, shocks, mounting, leveling valves [] [X] 33. Steering- king pins, ball joints, linkage, steering box, hoses, noise, function [] 34. Transmission/differential- function, leaks, fluid level, vents, mounting 35. Drive shaft- U-joints, slip joint, dents, clocking, safety hoop, straps, bolts, [2] [ ] 36. Frame- cracks, dents, damage, rust, holes, crossmembers, mounting [] 37. Chassis and undercarriage- overall condition, lubrication, dirt, grime build up 38-Wheelchair lift- operation, safetys, markings, leaks, fluid level, cleanliness Notes: Mechanic: Ames Signature This inspection is equal to: Annual 49CFR 396.17-23 Apendix/G/and V/C 34505 Title 13 CCR 1232(b)

VEHICLE	<b>REPAIR &amp; SER</b>	VICE FORM	(255.3 1
UNIT #: 1401 DATE: 10-30-18	MILEAGE: 316,36	3 MECHANIC:	JAMES
	S REPAIRED OR REP		
TIRES	TIRE PRESURES	BRAKE	PADS
Left front [] Right front []	Left front Right fr	ont Left front [ ]	*   Right front [ ]
Left O/drive [ ] Right O/drive [ ]	Left O/dr Right C	0/drLeft O/dr []	Right O/dr [ ]
Left I/drive [] Right I/drive []	Left I/dr Right I/	dr Left I/dr 🕅	Right I/dr 🖉
Left tag [] Right tag []	Left tag Right ta	igLeft tag []	Right tag []
Windshields	Wiper Blades	Batteries	
Engine belts: Cooling fans:	A/C:	Alts.:	
Varranty Part Numbers for replacem	ient:		
.1:	a <u></u>		
2:		2	
3:			
4:			
5:			
6:			
IST REPAIRS AND DISCRIPTION OF LUBED FROM SUSPE REPLACED DRIVE AX	IC FILTERS & BAN NSIONS - DRIVE L	HROOM VENT SCRI INE & THE AKU WITH NEW ON'E	EGN 2 SU <u>(PEN31</u> 45
	E CONTRACTOR		
	ца <sup>р</sup> .: 2		
DTAL WORK HOURS:	MECHANIC'S SIGNATU	RE Jam MB	fren

\* 9

UNIT#1402 DATE 10-18-19 MILEAGE 815/21
UNIT#/ 102 DATE/UN10/11 MILEAGE_0/0/2/14
Mechanic:Signature:

This inspection is equal to: Annual 49CFR 396.17-23 Apendix G and V/C 34505 Title 13 CCR 1232(b)

UNIT #: 1402 DATE: 18-	18 MILEAGE: 315, 121	MECHANIC: JAWES
	IS REPAIRED OR REPLAC	
TIRES	TIRE PRESURES	BRAKE PADS
Left front [] Right front []	Left front Right front	Left front [] Right front []
Left O/drive [ ] Right O/drive [ ]	Left O/dr Right O/dr	Left O/dr [] Right O/dr []
Left I/drive [] Right I/drive []	Left I/dr Right I/dr	Left I/dr [] Right I/dr []
Left tag [] Right tag []	Left tag Right tag	Left tag [] Right tag []
Windshields	Wiper Blades	Batteries
Engine belts: Cooling fans:	A/C:	Alts.:
6:		
TO RADIATOR \$. ADDED COD		lons
TO RADIATOR \$. ADDED COD	several others	lons

j,

. . . .

١.

	UNIT# 1402 DATE 8-6-18 MILEAGE 308, 540
4(4) (F) (F)	OK DEF
5	X [] 1.Entrance door, operation, markings, hand rails
1.5	[] 2.Instruments, dash lights, switches, knobs, levers, readouts, gauges
	<ul> <li>[] 3.Horns- air and electric</li> <li>[] 4.Drivers seat- mounting, adjustment, seat belt</li> </ul>
	[C] [ ] 5.Air compressor/governor- cut in/cut out 85 min-130 max psi
	[7] [7] 6.Brake air leaks- 2 psi/minute (static), 3 psi/minute (applied)
	[] 7 Low air warning- audible and or visual 60 psi min
	[] 8.Air tanks- drain, test check valves, perform split system test
	[] 9.Fire extinguisher, triangle reflectors(3), first aid kit (optional)
	[] 10.Restroom- lighting, seat, enting flush, dump valves, holding tank(s)
	[9] [] 11. Exterior lights, turn signals, emergency flashers, back up alarm and lights
	[1] 12.Windshields, wipers, squirters, defrosters, sun shades, mirrors [4] [3] 13.Windows- cracks, mounting, leaks, labeling
	<ul> <li>[7] [3] 14. Emergency exits- roof hatches, side windows, labeling and operation</li> </ul>
	[] 15.Multimedia system- PA, audio/video, CD/DVD, amp, speakers
10	[] 16.HVAC- function, fans, motor brushes (filters) leaks
-	[] 17.Passenger seats-mounting, seat belts, condition, sliding (if W/C equipped)
31	[X] [] 18.Interior lighting and markings
	[] 19 Luggage bays- latches, handles, door operation, lighting
	[2] 20. Batteries- fliud, terminals, cables, corrosion, hold down, shut off switch
	[] [] 21.Engine bay- cleanliness, fluid leaks, fluid levels, belts, pulleys, mounts [] 22.Engine accessories- mounting, cables, hoses, function
	<ul> <li>[9] [ ] 23.Alternators- mounting, cables, ducting, pulleys, output</li> </ul>
	[k] [ ] 24.Exhaust- leaks, mounting, tail pipe, overall condition
ž –	[] [] 25. Fuel system- leaks, hose routing, securement, tank mounting, filler necks/caps
	[] A 26. Cooling system- leaks, radiator, hoses, miter box, fan clutch, coolant level ADD
	✓] [ ] 27.Air system overall- air dryer, valves, lines, hoses
	[] 28.Brakes- lining thickness, rotors, cracks, chambers, adjustment, operation
	[X] [] 29.Parking brake- push/pull, release/apply, stays applied with complete loss of air
	[y] [ ] 30.Wheels, tires- cracks, lug nuts/studs, tread depth, separation, pressure [y] [ ] 31.Hubs- end play, leaks, ABS sensor, overall condition
	[4] [ ] 32.Suspension- air bags, radius rods, bushings, shocks, mounting, leveling valves
.8	[] 33.Steering- king pins, ball joints, linkage, steering box, hoses, noise, function
	[] 34. Transmission/differential- function, leaks, fluid level, vents, mounting
	[] ] 35.Drive shaft- U-joints, slip joint, dents, clocking, safety hoop, straps, bolts
	[] 36.Frame- cracks, dents, damage, rust, holes, crossmembers, mounting
. de	[] 37.Chassis and undercarriage- overall condition, lubrication, dist, grime build up
NIP	1 38. Wheelchair lift-operation, safetys, markings, leaks, fluid level, cleanliness
ť	Notes:
	Λ
	- A A
	Mechanic: JAMES Signature and HBMVan
	his inspection is equal to: Annual 49CFR 396.17-23 Apendix G and V/C 34505 Title 13 CCR 1232(b)
2	
-	
2	912920
	1 LICO

И.

*		
		36
VEHICLE	E REPAIR & SER	/ICE FORM
UNIT #: 1402 DATE: 8-6-1	18 MILEAGE: 308, C	40_MECHANIC: JAMES
	/ MS REPAIRED OR REP	
TIRES	TIRE PRESURES	BRAKE PADS
Left front [] Right front []	Left front Right fro	ont Left front [] Right front []
Left O/drive [ ] Right O/drive [ ]	Left O/dr Right O/	/drLeft O/dr [] Right O/dr []
Left I/drive [] Right I/drive []	Left I/dr Right I/d	lrLeft I/dr [] Right I/dr []
Left tag [] Right tag []	Left tag Right tag	g Left tag [] Right tag []
Windshields	Wiper Blades	Batteries
Engine belts: Cooling fans:	A/C:	Alts.:
Warranty Part Numbers for replace	ement:	
4: 5: 6: LIST REPAIRS AND DISCRIPTION ( CLEANEN ALL	DF WORK	É BATHROOM VENT
SCREEN	M/CTINOS	DHIMOOM VEW
ADDED COOLANS	<u></u>	
		STRIPPING FRONT OUTER
DRIVERS SIDE WI		Man in the Map of the
		······································
TOTAL WORK HOURS:	_ MECHANIC'S SIGNATU	RE Jam Buffier

ſ

ł

5.2 \*

. 353

	UNIT# 1402_DATE 6-25-18_MILEAGE 304,692_	
240	OK DEF	5
a senos a senos	[7] [ ] 1.Entrance door, operation, markings, hand rails [2] [ ] 2.Instruments, dash lights, switches, knobs, levers, readouts, gauges	
17	[2] [] 2. Instruments, dashingins, switches, knobs, levers, reducuts, gauges [2] [] 3. Horns- air and electric	
	[4] 4.Drivers seat- mounting, adjustment, seat belt	
	[] 5.Air compressor/governor- cut in/cut out 85 min-130 max psi	
	🖌 [] 6.Brake air leaks- 2 psi/minute (static), 3 psi/minute (applied)	
	[ ] 7.Low air warning- audible and or visual 60 psi min	
	[] 8.Air tanks- drain, test check valves, perform split system test	
120	M [] 9. Fire extinguisher, triangle reflectors(3), first aid kit (optional)	rad took
	[] X 10. Restroom- lighting, seat, venting, flush, dump valves, holding tank(s)	STILL LIL
	<ul> <li>[] 11. Exterior lights, turn signals, emergency flashers, back up alarm and light Solution (1) 12. Windshields, wipers, squirters, defrosters, sun shades, mirrors</li> </ul>	DOCKING LIF
	M [] 13. Windows- cracks, mounting, leaks, labeling	
	[4] [] 14.Emergency exits- roof hatches, side windows, labeling and operation	52 52
	[ ] 15.Multimedia system- PA, audio/video, CD/DVD, amp, speakers	
2	[] [1 16.HVAC- function, fans, motor brushes, niters, eaks	
	[4] [] 17.Passenger seats- mounting, seat belts, condition, sliding (if W/C equipped)	
	[X [] 18. Interior lighting and markings	
	[] 19.Luggage bays- latches, handles, door operation, lighting	ichange &
	<ul> <li>[] 20.Batteries- fliud, terminals, cables, corrosion, hold down, shut off switch</li> <li>[] 421.Engine bay- cleanliness, fluid leaks, fluid levels, belts, pulleys, mounts</li> </ul>	-Cherry-
	1 22.Engine accessories- mounting, cables, hoses, function	RS I
	[1] 23.Alternators- mounting, cables, ducting, pulleys, output	
	1 24.Exhaust- leaks, mounting, tail pipe, overall condition	
	1 25.Fuel system- leaks, hose routing, securement, tank mounting, filler necks/caps	78
	🕅 [] 26.Cooling system- leaks, radiator, hoses, miter box, fan clutch, coolant level	1
	[] 27.Air system overall- air dryer, valves, lines, hoses	
	[] 28.Brakes- lining thickness, rotors, cracks, chambers, adjustment, operation	
	<ul> <li>[] 29.Parking brake- push/pull, release/apply, stays applied with complete loss of air</li> <li>[] 30.Wheels, tires- cracks, lug nuts/studs, tread depth, separation, pressure</li> </ul>	
(#	M [] 31.Hubs- end play, leaks, ABS sensor, overall condition	
	[] 32.Suspension- air bags, radius rods, bushings, shocks, mounting, leveling valves	
	[] 33.Steering- king pins, ball joints, linkage, steering box, hoses, noise, function	540 ES
	4 [] 34. Transmission/differential- function, leaks, fluid level, vents, mounting	
	4 [ ] 35.Drive shaft- U-joints, slip joint, dents, clocking, safety hoop, straps, bolts	
	1 36.Frame- cracks, dents, damage, rust, holes, crossmembers, mounting	Υ.
, ti l	[] 37.Chassis and undercarriage- overall condition, lubrication, dirt, grime build up	
NJr	[-] [- ] 38. Wheelerbair lift-peration_safetys, in markins, leaks, fluid level, cleanliness	40
•	Notes:	1
		1
	2 ( )) 8 ( )	91. W
		× ×
	a <sup>ta</sup>	
	In In SIR /	2
	Mechanic: JAMESSignature Buns CV / Buyhan	
	This inspection is equal to: Annual 49CFR 396.17-23 Apendix & and V/C 34505 Title 13 CCR 1232(b)	20
1		
	( <u>)</u>	5 <u></u> 0

VEHICLI	E REPAIR & SERVICI	FFORM
UNIT # 1402 DATE 6-25-		
	MS REPAIRED OR REPLAC	
TIRES	TIRE PRESURES	BRAKE PADS
Left front [] Right front []		Left front [] Right front []
Left O/drive [ ] Right O/drive [ ]		
Left I/drive [] Right I/drive []		
Left tag [] Right tag []		
Windshields		
Engine belts: Cooling fans:	A/C:	Alts.:
Warranty Part Numbers for replace	ement:	
1:		
2:		
3:		
4:		
6:		
LIST REPAIRS AND DISCRIPTION	OF WORK	1
CLEANED ALL	A/C FITTERS 4	BATHROOM VENT
SCRIGEN	/ L	
FILLED WINDSHIL	IS WASHER Fluid	RESEVOIR
	+ Door SIDE Dock	
NGW ONE		
PRAINED OCI	ADDED NEW REA	PLACED OIL FILTERS
(2)# (7GI (D# 1660	WITH NEW ONES	
REP/AGEN MISS		
	ING BOLS ON RIA	DIATOR MOTOR_
BRACKER	ING BOLS ON RA	DIATOR MOTOR
-	ING BOLT ON RA	DIATOR MOTOR
-	MECHANIC'S SIGNATURE	An A

....

	n an <mark>e</mark> e		1402	DATE	5-7-1	<u>8</u> ı		= 297.	235	1
	OKE		1102	DATE					<b>~~</b> J	
ya.			n <b>ce</b> door, c	peration, n	narkings, ha	ind rails			ιώ.	
e aese e	- [X] I	] 2.Instru	ments, das	sh lights, sv	vit <mark>ches</mark> , kno	bs, levers, re	eadouts, ga	auges		
			s- air and el						5¥3	$\approx -2$
					ustment, se					
						: 85 min-130				
						psi/minute (a	applied)			
					id or visual 6		ča.			132
						orm split sys				
						first aid kit (				•
						, dump valve				
						r flashers, ba			5	
			shields	pers squirt	ers, defrost	ers, sun sha	des, mirror	S		
	X I	113.VVING	ows- crack	s, mounting	g, leaks, lab	eing indeura labal	line and on	arction		
						indows, labe				
						D/DVD, amp	o, speakers	5		
					or brushes, i	, condition, s	liding (if \A)		47	
			or lighting a				siung (n vv			
						operation, lig	Intina			
						sión, hold de		off switch		
		-							-	
		121.Engin 122 Engin		ries- mount	tino cables	id levels, bel hoses, func pulleys outr	tion	REPLACE	AIRF	
		123 Altern	ators- mou	inting, cabl	es. ductina	pulleys, outp	วย1			
						rall condition			54	
						rement, tank		filler necks/	caps	
						miter box, fa				
	MI	27.Air sy	stem overa	III- air dryer	, valves, line	es, hoses	,			
	MI	] 28.Brake	s- lining thi	ckness, rot	tors, cracks	chambers,	adjustment	t, operation		
						, stays applie			of air	)C
	MI	] 30.Whee	ls, tires- cr	acks, lug n	uts/studs, tr	ead depth, s	eparation,	pressure		
	[14] []	31.Hubs-	end play, l	eaks, ABS	sensor, ove	erall condition	n			5) 12
						ings, shock				
						steering box			ו	
						s, fluid level,				
						ocking, safet				
8	K	36.Frame	e- cracks, d	lents, dama	age, rust, ho	les, crossme	embers, mo	ounting		
. 1						dition, lubrica			qr	
MA		38.VVnee	ichair lin-o	peration, s	a <del>lerys</del> , fitalt	ings, leaks,	<u>ਗ਼ਬਾਰ ੱਵਿ</u> ਣਿ	cleanmess		
	Mato	<b>.</b> .		Ξ.			S			
	Notes	s:			· · · · · · · · · · · · · · · · · · ·			10 11	· · ·	
					1.65				3	
					2					7
		7 <b>3</b>								
			a de la companya de las		<u>a</u>					; ;
						$\cap$				·
	•		A			-+	· ·		10	4
		. (	TROMA	and the second second		. \	~	AL	5/	A
	Mech	anic:	Sam	5	Sig	nature:	any	IK	Say Vi	an
							2			
	This ins	spection is a	equal to: Ani	nual 49CFR	396.17-23 A	pendix G and	V/C 34505	Title 13 CCR	1232(b)	•2
æ			,			1/			1	
		ŝ.			1					-
		a*		14	16 14			60		C

VEHICLE	E REPAIR & SERV	
UNIT #: 1402 DATE: 5-7-11	8_MILEAGE: 297,23	5_MECHANIC JAMES
	MS REPAIRED OR REPL	
TIRES	TIRE PRESURES	BRAKE PADS
Left front [] Right front []	Left front Right from	ntLeft front [] Right front []
Left O/drive [ ] Right O/drive [ ]	Left O/dr Right O/d	irLeft O/dr [] Right O/dr []
Left I/drive [] Right I/drive []	Left I/drRight I/dr	Left I/dr [] Right I/dr []
Left tag [] Right tag []	Left tag Right tag_	Left tag [] Right tag []
Windshields	Wiper Blades/	Batteries
Engine belts: Cooling fans:	A/C:	Alts.:
Warranty Part Numbers for replace	ement:	
1:		
4:		
5:		
6:		
LIST REPAIRS AND DISCRIPTION (		
REPLACED AIRF	1 HER # 6623 WI	TH NEW ONE
REPLACED UPPER	DOOR SIDE WINDS	HIELD WIPER BLADE
WITH NEW ONE	· · · · · · · · · · · · · · · · · · ·	
	3	
	, 21/2 1	$\wedge$
		I way
TOTAL WORK HOURS:	_ MECHANIC'S SIGNATURI	E Torman Duphan

į.

	E REPAIR & SERV	
UNIT #: 1402 DATE: 5-4-1	8MILEAGE:_ <u>296,9</u>	06_ MECHANIC:MES/ CREE
ITE	MS REPAIRED OR REPI	LACED /
TIRES	TIRE PRESURES	BRAKE PADS
Left front [] Right front []	Left frontRight fro	<pre>nt Left front [ ] Right front [ ]</pre>
Left O/drive [] Right O/drive []	Left O/dr Right O/	dr Left O/dr [] Right O/dr []
Left I/drive [] Right I/drive []	Left I/drRight I/d	r Left I/dr [] Right I/dr []
Left tag [] Right tag []	Left tag Right tag	Left tag [] Right tag []
Windshields	Wiper Blades	Batteries
Engine belts: Cooling fans:	A/C:	Alts.:
4:		
5:		
6:		
REPTACED DRIV	ESIDE WINDS	SHIELD WITH NEW ONE
OTAL WORK HOURS:	_ MECHANIC'S SIGNATUR	and Binfian

 $^{i}$ 

×

- 	UNIT# 1402 DATE 4-6-19 MILEAGE 295, 046
OF	( DEF
	[] 1.Entrance door, operation, markings, hand rails
Ŷ.	
4	
[X]	
	[ ] 5.Air compressor/governor- cut in/cut out 85 min-130 max psi
	[] 6.Brake air leaks- 2 psi/minute (static), 3 psi/minute (applied)
	[] 7.Low air warning- audible and or visual 60 psi min
	[] 8.Air tanks- drain, test check valves, perform split system test
ive.	[] 9.Fire extinguisher, triangle reflectors(3), first aid kit (optional)
	10.Restroom- lighting, seat, centing flush, dump valves, holding tank(s)
	[] 11.Exterior lights, turn signals, emergency flashers, back up alarm and lights
	[] 12.Windshields, wipers, squirters, defrosters, sun shades, mirrors
	[] 13.Windows- cracks, mounting, leaks, labeling
Ka	[] 14.Emergency exits- roof hatches, side windows, labeling and operation
	[] 15.Multimedia system- PA, audio/video, CD/DVD, amp, speakers
	16.HVAC- function, fans, motor brushes, filters leaks
	[]17.Passenger seats- mounting, seat belts, condition, sliding (if W/C equipped)
	[] 18.Interior lighting and markings
	[] 19.Luggage bays- latches, handles, door operation, lighting
	[] 20.Batteries- fliud, terminals, cables, corrosion, hold down, shut off switch
	[] 21.Engine bay- cleanliness, fluid leaks, fluid levels, belts, pulleys, mounts
	[] 22.Engine accessories- mounting, cables, hoses, function
	[] 23.Alternators- mounting, cables, ducting, pulleys, output
	[] 24.Exhaust-leaks, mounting, tail pipe, overall condition
	<ul> <li>[ ] 25. Fuel system- leaks, hose routing, securement, tank mounting, filler necks/caps</li> <li>[ ¥ 26. Cooling system- leaks, radiator, hoses, miter box, fan clutch, coolant level</li> </ul>
	[] 27. Air system overall- air dryer, valves, lines, hoses
	[] 28.Brakes- lining thickness, rotors, cracks, chambers, adjustment, operation
	[] 29.Parking brake- push/pull, release/apply, stays applied with complete loss of air
	[ ] 30. Wheels, tires- cracks, lug nuts/studs, tread depth, separation, pressure
	[ ] 31. Hubs- end play, leaks, ABS sensor, overall condition
174	[] 32.Suspension- air bags, radius rods, bushings, shocks, mounting, leveling valves
ΙV.	[] 33.Steering- king pins, ball joints, linkage, steering box, hoses, noise, function
	[ ] 34. Transmission/differential- function, leaks, fluid level, vents, mounting
Į,	[ ] 35.Drive shaft- U-joints, slip joint, dents, clocking, safety hoop, straps, bolts
2	[] 36.Frame- cracks, dents, damage, rust, holes, crossmembers, mounting
X	[] 37.Chassis and undercarriage- overall condition, lubrication, dirt, grime build up
/n[_]-	[-]-38. Wheelchair-lift- operation, safetys, markings, leaks, fluid level, cleanliness
, 	
Not	les:
÷	× · · · · · · · · · · · · · · · · · · ·
	1986 J.
	I AD IT
Mee	chanic: AMES Signature Termy OBury how
Thic	inspection is equal to: Appual AQCER 306 17.23 Apopulit C and VIC 24505 Title 12 COD 1222/1-1
11115	inspection is equal to: Annual 49CFR 396.17-23 Apendik G and V/C 34505 Title 13 CCR 1232(b)

а Т		
·	REPAIR & SERVI	
UNIT #: 1402 DATE: 4-6-18	3_MILEAGE: 278, 94	MECHANIC: JAMES
ITEM	S REPAIRED OR REPL	ACED
TIRES	TIRE PRESURES	BRAKE PADS
Left front [] Right front []	Left front Right front	Left front [] Right front []
Left O/drive [] Right O/drive []	Left O/drRight O/dr	Left O/dr [] Right O/dr []
Left I/drive [] Right I/drive []	Left I/dr Right I/dr_	Left I/dr [] Right I/dr []
Left tag [] Right tag []	Left tag Right tag_	Left tag [] Right tag []
Windshields	Wiper Blades	Batteries
Engine belts: Cooling fans:	A/C:	Alts.:
Warranty Part Numbers for replacen	nent:	
1:		
2:		
3:		
4:		
5:		
6:		
LIST REPAIRS AND DISCRIPTION OF	······································	THREAM VENT SCREED
HODED COOLANT	1/2 CATION	
	21 10	
		3 ×
X		
TOTAL WORK HOURS:	MECHANIC'S SIGNATURE	Jams Albrifian