

STÉ-CLAIRE, QUEBEC CANADA G0R 2V0	H345	Serial No.: 2PCH33491FC712846	Coach No. #
Date: 2014/10/22	Customer:		Rev.:

PARTS NAME	PART NUMBER	MAKE / MODEL	SERIAL
DEF Pump Module Cooling	21576178		36453
DEF Dosing Valve Cooling			044404308845510051
Particle filter	21990643		655014183
Module ACM Cooling	21870087	#PIECE DU FOURNISSEUR: 21870087	14380377
Transmission	572138	P572138	1S6610405685
Engine	MOTEUR VOLVO H345	D13J435P	0131080543
NOx Sensor Inlet Cooling	21636091		1435716036644E07
SCR Assy Cooling	21437514	VOLVO #21488930	T12400003846240
NOx Sensor Outlet Cooling	22014032	25898 CONTINENTAL AUTOMOTIVE SYST.INC #22014032	1435516426643E08
Air Filter El.	530206	REV B: NELSON DIVISION #71828N-20	
Alt 1 Motor	564119	REV A: ROBERT BOSCH #0124655079	280514 1918
Alt 2 Motor	564119	REV A: ROBERT BOSCH #0124655079	280514 1925
Belt	5060110	DAYCO #21-2112	
Belt	5061285	DAYCO, MARK IV INDUSTRIES CANADA #21-2212	
Rear Bellow	630260	GOODYEAR TIRE & RUBBER CO. #IR11-243	
Aux. Axle Tag	621808	MOULES ET MODELES PCM INC. #621808	E881
NEW TAG DATE	621808	MOULES ET MODELES PCM INC. #621808	070514
Front Axle	612386		P14245009F
Differential	621909	ELEGANCE	SLRS00782185
Air Dryer	21440978	VOLVO #(21440978)	
Steering Box	661137	ZF #8098 955 817	
Compressor Big	950002	BITZER #4NFCY-012 (REV.5)	2586888432
Condenser Motor 1	565881	EBMPAST #W3G300-ER40-75	0600110041434004OSBW
Condenser Motor 2	565881	EBMPAST #W3G300-ER40-75	0600110041434004OSDW
Condenser Motor 3	565881	EBMPAST #W3G300-ER40-75	0600110041434004OS2W
Condenser Motor 4	565881	EBMPAST #W3G300-ER40-75	0600110041434004OS3W
Evaporator Motor	564216	AMETEK ROTRON #150215-00	27AUG14004335
Dryer	950332	ALCO CONTROL #064904	
Seat Driver	864372	REV A: ISRI #86728-01/00	63143700903-0
Wheel Chair Lift	864809	RICON #F9TF-DE022	531140
Radiator CAC	21576796	REV A: TITANX #1040254-CR	S181030352-C00405
Radiator 1	21576796	REV A: TITANX #1040254-CR	S181040254-CR02380
Radiator 2	21576796	REV A: TITANX #1040254-CR	S021003673-C02003
Tires		MICHELIN	76184
		B6D735CX2714, B6D735CX2714, B6D735CX2714,	
		B6D735CX2714, B6D735CX3314, B6D735CX3314,	
		B6D735CX2714, B6D735CX3514, B6D735CX2714	
Rolling Resistance Tires			LRRA -TOUS PNEUS RES 7.
Wheel Size		ACCURIDE	29300PK-SLV21
		ALCOA	894641DB
			894642DB
			894643DB

## PAINT SECTION

PAINT COLOR	MAKE	NUMBER
BLACK (STD)	BASISLACK (STANDOX)	MIX 571
WHITE	BASISLACK (STANDOX)	PREV 000
SILVER	BASISLACK (STANDOX)	PREV 013
WHITE (ROOF PANEL)	IMRON ELITE (DUPONT)	832133 EF
CLEAR COAT	IMRON ELITE (DUPONT)	8430S

## INTERIOR TRIM SECTION

MATERIAL	COLOR	NUMBER
FLOOR COVERING	GERFLOR SHIP	0764

# PREVOST

## COACH FINAL RECORD

STE-CLAIRE, QUEBEC CANADA G0R 2V0		H345	Serial No.: 2PCH33491FC712846	Coach No. #
Date: 2014/10/22	Customer:			Rev.:

STEP NOSING	CALEDONIA	6602
FABRIC	NAH 184	864276
	NAE 184	864279
CARPET	N/A	

### OPTIONAL EQUIPMENT SECTION

- EXTERIOR DOOR LOCKS: KEY CODE: NS8718
- KEYLESS IGNITION SWITCH
- RICON WCL REMOVABLE...WITH CASSETTE
- AUX. PREHEATING SYSTEM READY
- OVERHEAD A/C SYSTEM
- DIFFERENTIAL RATIO 3.58
- ENGINE BRAKE ON D13 ENGINE
- ROAD SPEED GOVERNOR 71 MPH
- IDLE SHUTDOWN: 15 MINUTES
- FUEL PRO 382
- ULTIMATE ENG. WARRANTY 5Y/500,000 MI., PARTS & LABOR (UE-5514)
- ALLISON AUT. TRANS. WARRANTY/5 YEARS (W/O RET.)
- DURABRIGHT WHEEL PROTECTORS
- CHROME NUTS & HUBS
- SPLASH GUARDS BETWEEN DIFF. AND TAG AXLES
- QUICK FRONT KNEELING SUSP. (LOW & HIGH BUOY)
- CREDIT: REMOVE...FIRE SUPPRESSION & TIRES MONITORING SYSTEMS
- CHROME RAMCO ELECTRIC HEATED EXT. MIRROR W/CONVEX ON TOP
- ISRI 6832 DRIVER SEAT 3PT. SEAT BELT AIR SUSP. W/ARMRESTS
- SIRIUS SATELLITE RADIO (AM/FM/CD) DASH INST.
- TWO EXTRA SPEAKERS IN DRIVER AREA
- MICROPHONE OUTLET IN L.H. MODESTY PANEL
- MICROPHONE STUDIO TYPE (P/N 900745)
- VIDEO SYSTEM COMPONENTRY WITH DVD
- 15" WIDE SCREEN MONITORS UNDER PARCEL RACK (EA) QT. 4
- CENTRAL 15" FIXED MONITOR
- AV. PANEL WITH AUDIO JACK, VGA PORT, USB MODESTY PANEL LH
- BACK-UP CAMERA READY
- QR CODES (PASSENGER ROWS INCL. SAFETY VIDEO & CORPORATE DVD)
- SINGLE 1800 WATT INVERTOR
- 120V OUTLET IN #1 FRONT LEFT PARCEL RACK
- 120V OUTLET IN MODESTY PANELS
- TOILET PAPER ROLL DISPENSER (900656)
- SINK COVERED WITH STEEL PLATE PAINTED BEIGE
- AUXILIARY HOLDING TANK
- PASSENGER SIDE WINDOW BLINDS
- CLOSED-TYPE PARCEL RACKS
- AMAYA SEATS WITH SEAT BELTS, 56 PASS., A2TEN
- NO CARD TABLE
- WIRING AND BRACKETS ONLY FOR FRONT AND SIDE DESTINATION SIGN TO BE INSTALLED

1506



California Highway Patrol  
1551 Benicia Road  
Vallejo, CA 94591  
Phone: (707) 648-4180  
Internationally Accredited Agency CHP407F/343A

Report Number: CAA161170753  
Inspection Date: 02/27/2018  
Start: 9:10 AM PD End: 10:30 AM PD  
Inspection Level: V - Terminal  
HM Inspection Type: None

USDOT: 260010 Phone#: (707)585-9110  
MC/MX#: 165764 Fax#: (707)584-4713  
State#: 322487  
Location: SANTA ROSA AREA Milepost: Shipper: N/A  
Highway: Origin: Bill of Lading: N/A  
County: SONOMA Destination: Cargo: EMPTY

Driver:  
License#: State:  
Date of Birth:  
CoDriver:  
License#: State:  
Date of Birth:

## VEHICLE IDENTIFICATION

Unit	Type	Make	Year	State	Plate	Equipment ID	VIN	GVWR	CVSA Existing	CVSA #
1	BU	PVOS	2015	CA	CP97316	506	2PCH33491FC712846	53000		25221152

## BRAKE ADJUSTMENTS

Axle #	1	2	3
Right	N/A	N/A	N/A
Left	N/A	N/A	N/A
Chamber	DISC	DISC	DISC

VIOLATIONS: No violations were discovered

HazMat: No HM transported

Placard:

Cargo Tank:

Special Checks: No data for special checks

## State Information:

Beat/Sub Area: 5407; Odometer: 223690; File Code Number: 219371; PUC: 21509; Regulated Vehicle: Y; Pre-Cleared Vehicle: N; Fuel Type: D; Passenger Capacity: 56; Veh #1 Type: 64; WC Passenger Capacity: 2; Bus Type: 1; SPAB Cert: 02/27/2018

Report Prepared By:

I. N. DUOA

Badge #:

A16117

Copy Received By:

X \_\_\_\_\_ X \_\_\_\_\_



# Vehicle Inspection Report

UNIT# 1506 DATE 10-2-19 MILEAGE 320,409

OK DEF

- ☐ 1. Entrance door, operation, markings, hand rails
- ☐ 2. Instruments, dash lights, switches, knobs, levers, readouts, gauges
- ☐ 3. Horns- air and electric
- ☐ 4. Drivers seat- mounting, adjustment, seat belt
- ☐ 5. Air compressor/governor- cut in/cut out 85 min-130 max psi
- ☐ 6. Brake air leaks- 2 psi/minute (static), 3 psi/minute (applied)
- ☐ 7. Low air warning- audible and or visual 60 psi min
- ☐ 8. Air tanks- drain, test check valves, perform split system test
- ☐ 9. Fire extinguisher, triangle reflectors(3), first aid kit (optional)
- ☐ 10. Restroom- lighting, seat, venting, flush, dump valves, holding tank(s)
- ☐ 11. Exterior lights, turn signals, emergency flashers, back up, alarm and lights
- ☒ 12. Windshields, wipers, squirters, defrosters, sun shades, mirrors
- ☐ 13. Windows- cracks, mounting, leaks, labeling
- ☐ 14. Emergency exits- roof hatches, side windows, labeling and operation
- ☐ 15. Multimedia system- PA, audio/video, CD/DVD, amp, speakers
- ☒ 16. HVAC- function, fans, motor brushes, filters leaks
- ☐ 17. Passenger seats- mounting, seat belts, condition, sliding (if W/C equipped)
- ☐ 18. Interior lighting and markings
- ☐ 19. Luggage bays- latches, handles, door operation, lighting
- ☐ 20. Batteries- fluid, terminals, cables, corrosion, hold down, shut off switch
- ☐ 21. Engine bay- cleanliness, fluid leaks, fluid levels, belts, pulleys, mounts
- ☐ 22. Engine accessories- mounting, cables, hoses, function
- ☐ 23. Alternators- mounting, cables, ducting, pulleys, output
- ☐ 24. Exhaust- leaks, mounting, tail pipe, overall condition
- ☐ 25. Fuel system- leaks, hose routing, securement, tank mounting, filler necks/caps
- ☐ 26. Cooling system- leaks, radiator, hoses, miter box, fan clutch, coolant level
- ☒ 27. Air system overall- air dryer, valves, lines, hoses
- ☐ 28. Brakes- lining thickness, rotors, cracks, chambers, adjustment, operation
- ☐ 29. Parking brake- push/pull, release/apply, stays applied with complete loss of air
- ☐ 30. Wheels, tires- cracks, lug nuts/studs, tread depth, separation, pressure
- ☐ 31. Hubs- end play, leaks, ABS sensor, overall condition
- ☐ 32. Suspension- air bags, radius rods, bushings, shocks, mounting, leveling valves
- ☐ 33. Steering- king pins, ball joints, linkage, steering box, hoses, noise, function
- ☐ 34. Transmission/differential- function, leaks, fluid level, vents, mounting
- ☐ 35. Drive shaft- U-joints, slip joint, dents, clocking, safety hoop, straps, bolts
- ☐ 36. Frame- cracks, dents, damage, rust, holes, crossmembers, mounting
- ☐ 37. Chassis and undercarriage- overall condition, lubrication, dirt, grime build up
- ☒ 38. Wheelchair lift- operation, safety, markings, leaks, fluid level, cleanliness

REPLACED LOWER  
WIPER BLADES

REPAIR DAZER AIR UP LOCK ASSEMBLY  
& NEW FITTINGS

Notes:

Mechanic:

JAMES

Signature:

James C. Bayless

This inspection is equal to: Annual 49CFR 396.17-23 Appendix G and V/C 34505 Title 13 CCR 1232(b)



## VEHICLE REPAIR & SERVICE FORM

UNIT # 1506 DATE 10-2-19 MILEAGE 320,409 MECHANIC JAMES

### ITEMS REPAIRED OR REPLACED

#### TIRES

Left front ☐ Right front ☐

Left O/drive ☐ Right O/drive ☐

Left I/drive ☐ Right I/drive ☐

Left tag ☐ Right tag ☐

#### TIRE PRESURES

Left front \_\_\_\_\_ Right front \_\_\_\_\_

Left O/dr \_\_\_\_\_ Right O/dr \_\_\_\_\_

Left I/dr \_\_\_\_\_ Right I/dr \_\_\_\_\_

Left tag \_\_\_\_\_ Right tag \_\_\_\_\_

#### BRAKE PADS

Left front ☐ Right front ☐

Left O/dr ☐ Right O/dr ☐

Left I/dr ☐ Right I/dr ☐

Left tag ☐ Right tag ☐

Windshields \_\_\_\_\_ Wiper Blades \_\_\_\_\_ Batteries \_\_\_\_\_

Engine belts: Cooling fans: \_\_\_\_\_ A/C: \_\_\_\_\_ Alts.: \_\_\_\_\_

#### Warranty Part Numbers for replacement:

1: \_\_\_\_\_

2: \_\_\_\_\_

3: \_\_\_\_\_

4: \_\_\_\_\_

5: \_\_\_\_\_

6: \_\_\_\_\_

#### LIST REPAIRS AND DISCRIPTION OF WORK

REPLACED LOWER WINDSHIELD WIPER blades  
WITH NEW ONES

CLEANED ALL A/C FILTERS

REPLACED AIR DOZER VALVE ENGINE COMPARTMENT  
WITH NEW VALVE & FITTINGS

TOTAL WORK HOURS: \_\_\_\_\_

MECHANIC'S SIGNATURE

James Beggs

## VEHICLE REPAIR & SERVICE FORM

UNIT # 1506 DATE: 8-29-19 MILEAGE: 314,488 MECHANIC: James

### ITEMS REPAIRED OR REPLACED

#### TIRES

Left front ☐ Right front ☐  
Left O/drive ☐ Right O/drive ☐  
Left I/drive ☐ Right I/drive ☐  
Left tag ☐ Right tag ☐

#### TIRE PRESURES

Left front \_\_\_\_\_ Right front \_\_\_\_\_  
Left O/dr \_\_\_\_\_ Right O/dr \_\_\_\_\_  
Left I/dr \_\_\_\_\_ Right I/dr \_\_\_\_\_  
Left tag \_\_\_\_\_ Right tag \_\_\_\_\_

#### BRAKE PADS

Left front ☐ Right front ☐  
Left O/dr ☐ Right O/dr ☐  
Left I/dr ☐ Right I/dr ☐  
Left tag ☐ Right tag ☐

Windshields \_\_\_\_\_ Wiper Blades \_\_\_\_\_ Batteries \_\_\_\_\_

Engine belts: Cooling fans: \_\_\_\_\_ A/C: \_\_\_\_\_ Alts.: \_\_\_\_\_

#### Warranty Part Numbers for replacement:

- 1: \_\_\_\_\_
- 2: \_\_\_\_\_
- 3: \_\_\_\_\_
- 4: \_\_\_\_\_
- 5: \_\_\_\_\_
- 6: \_\_\_\_\_

#### LIST REPAIRS AND DISCRIPTION OF WORK

BODY WORK ON REAR DOOR SIDE BANNED &  
PRIMERED

REPLACED LH REAR DRIVE AXLE AIR BAG  
WITH NEW ONE FRONT BAG OF DRIVE AXLE

TOTAL WORK HOURS: \_\_\_\_\_

MECHANIC'S SIGNATURE: \_\_\_\_\_

James A. Benton

# Vehicle Inspection Report

UNIT# 1506

DATE 8-23-19

MILEAGE 314,063

OK DEF

- ☒ [ ] 1. Entrance door, operation, markings, hand rails
- ☒ [ ] 2. Instruments, dash lights, switches, knobs, levers, readouts, gauges
- ☒ [ ] 3. Horns- air and electric
- ☒ [ ] 4. Drivers seat- mounting, adjustment, seat belt
- ☒ [ ] 5. Air compressor/governor- cut in/cut out 85 min-130 max psi
- ☒ [ ] 6. Brake air leaks- 2 psi/minute (static), 3 psi/minute (applied)
- ☒ [ ] 7. Low air warning- audible and or visual 60 psi min
- ☒ [ ] 8. Air tanks- drain, test check valves, perform split system test
- ☒ [ ] 9. Fire extinguisher, triangle reflectors(3), first aid kit (optional)
- ☒ [ ] 10. Restroom- lighting, seat, venting, flush, dump valves, holding tank(s)
- ☒ [ ] 11. Exterior lights, turn signals, emergency flashers, back up alarm and lights
- ☒ [ ] 12. Windshields, wipers, squirters, defrosters, sun shades, mirrors
- ☒ [ ] 13. Windows- cracks, mounting, leaks, labeling
- ☒ [ ] 14. Emergency exits- roof hatches, side windows, labeling and operation
- ☒ [ ] 15. Multimedia system- PA, audio/video, CD/DVD, amp, speakers
- ☒ [ ] 16. HVAC- function, fans, motor brushes, filters, leaks
- ☒ [ ] 17. Passenger seats- mounting, seat belts, condition, sliding (if W/C equipped)
- ☒ [ ] 18. Interior lighting and markings
- ☒ [ ] 19. Luggage bays- latches, handles, door operation, lighting
- ☒ [ ] 20. Batteries- fluid, terminals, cables, corrosion, hold down, shut off switch
- ☒ [ ] 21. Engine bay- cleanliness, fluid leaks, fluid levels, belts, pulleys, mounts
- ☒ [ ] 22. Engine accessories- mounting, cables, hoses, function
- ☒ [ ] 23. Alternators- mounting, cables, ducting, pulleys, output
- ☒ [ ] 24. Exhaust- leaks, mounting, tail pipe, overall condition
- ☒ [ ] 25. Fuel system- leaks, hose routing, securement, tank mounting, filler necks/caps
- ☒ [ ] 26. Cooling system- leaks, radiator, hoses, miter box, fan clutch, coolant level
- ☒ [ ] 27. Air system overall- air dryer, valves, lines, hoses
- ☒ [ ] 28. Brakes- lining thickness, rotors, cracks, chambers, adjustment, operation
- ☒ [ ] 29. Parking brake- push/pull, release/apply, stays applied with complete loss of air
- ☒ [ ] 30. Wheels, tires- cracks, lug nuts/studs, tread depth, separation, pressure
- ☒ [ ] 31. Hubs- end play, leaks, ABS sensor, overall condition
- ☒ [ ] 32. Suspension- air bags, radius rods, bushings, shocks, mounting, leveling valves
- ☒ [ ] 33. Steering- king pins, ball joints, linkage, steering box, hoses, noise, function
- ☒ [ ] 34. Transmission/differential- function, leaks, fluid level, vents, mounting
- ☒ [ ] 35. Drive shaft- U-joints, slip joint, dents, clocking, safety hoop, straps, bolts
- ☒ [ ] 36. Frame- cracks, dents, damage, rust, holes, crossmembers, mounting
- ☒ [ ] 37. Chassis and undercarriage- overall condition, lubrication, dirt, grime build up
- ☒ [ ] 38. Wheelchair lift- operation, safety, markings, leaks, fluid level, cleanliness

REPLACE BATHROOM FAN  
MOTOR

REPLACED LH REAR  
DRIVE AIR BAG

Notes:

Mechanic: JAMES

Signature: James A. Burdette

This inspection is equal to: Annual 49CFR 396.17-23 Appendix G and V/C 34505 Title 13 CCR 1232(b)

## VEHICLE REPAIR & SERVICE FORM

UNIT # 1506 DATE: 8-23-19 MILEAGE: 314,063 MECHANIC: JAMES

### ITEMS REPAIRED OR REPLACED

#### TIRES

Left front ☐ Right front ☐

Left O/drive ☐ Right O/drive ☐

Left I/drive ☐ Right I/drive ☐

Left tag ☐ Right tag ☐

#### TIRE PRESURES

Left front \_\_\_\_\_ Right front \_\_\_\_\_

Left O/dr \_\_\_\_\_ Right O/dr \_\_\_\_\_

Left I/dr \_\_\_\_\_ Right I/dr \_\_\_\_\_

Left tag \_\_\_\_\_ Right tag \_\_\_\_\_

#### BRAKE PADS

Left front ☐ Right front ☐

Left O/dr ☐ Right O/dr ☐

Left I/dr ☐ Right I/dr ☐

Left tag ☐ Right tag ☐

Windshields \_\_\_\_\_ Wiper Blades \_\_\_\_\_ Batteries \_\_\_\_\_

Engine belts: Cooling fans: \_\_\_\_\_ A/C: \_\_\_\_\_ Alts.: \_\_\_\_\_

#### Warranty Part Numbers for replacement:

1: \_\_\_\_\_

2: \_\_\_\_\_

3: \_\_\_\_\_

4: \_\_\_\_\_

5: \_\_\_\_\_

6: \_\_\_\_\_

#### LIST REPAIRS AND DISCRIPTION OF WORK

REPLACED BATHROOM FAN MOTOR WITH NEW ONE  
REPLACED LH REAR DRIVE AXLE AIR BAG WITH  
NEW ONE

TOTAL WORK HOURS: \_\_\_\_\_

MECHANIC'S SIGNATURE: \_\_\_\_\_

*James C. Bytlan*

# Vehicle Inspection Report

UNIT# 1506 DATE 7-29-19 MILEAGE 310,538

OK DEF

- ☐ 1. Entrance door, operation, markings, hand rails
- ☐ 2. Instruments, dash lights, switches, knobs, levers, readouts, gauges
- ☐ 3. Horns- air and electric
- ☐ 4. Drivers seat- mounting, adjustment, seat belt
- ☐ 5. Air compressor/governor- cut in/cut out 85 min-130 max psi
- ☐ 6. Brake air leaks- 2 psi/minute (static), 3 psi/minute (applied)
- ☐ 7. Low air warning- audible and or visual 60 psi min
- ☐ 8. Air tanks- drain, test check valves, perform split system test
- ☐ 9. Fire extinguisher, triangle reflectors(3), first aid kit (optional)
- ☐ 10. Restroom- lighting, seat, venting, flush, dump valves, holding tank(s)
- ☒ 11. Exterior lights, turn signals, emergency flashers, back up alarm and lights
- ☐ 12. Windshields, wipers, squirters, defrosters, sun shades, mirrors
- ☐ 13. Windows- cracks, mounting, leaks, labeling
- ☐ 14. Emergency exits- roof hatches, side windows, labeling and operation
- ☐ 15. Multimedia system- PA, audio/video, CD/DVD, amp, speakers
- ☐ 16. HVAC- function, fans, motor brushes, filters, leaks
- ☐ 17. Passenger seats- mounting, seat belts, condition, sliding (if W/C equipped)
- ☐ 18. Interior lighting and markings
- ☐ 19. Luggage bays- latches, handles, door operation, lighting
- ☐ 20. Batteries- fluid, terminals, cables, corrosion, hold down, shut off switch
- ☐ 21. Engine bay- cleanliness, fluid leaks, fluid levels, belts, pulleys, mounts
- ☐ 22. Engine accessories- mounting, cables, hoses, function
- ☐ 23. Alternators- mounting, cables, ducting, pulleys, output
- ☐ 24. Exhaust- leaks, mounting, tail pipe, overall condition
- ☐ 25. Fuel system- leaks, hose routing, securement, tank mounting, filler necks/caps
- ☒ 26. Cooling system- leaks, radiator, hoses, miter box, fan clutch, coolant level
- ☐ 27. Air system overall- air dryer, valves, lines, hoses
- ☐ 28. Brakes- lining thickness, rotors, cracks, chambers, adjustment, operation
- ☐ 29. Parking brake- push/pull, release/apply, stays applied with complete loss of air
- ☐ 30. Wheels, tires- cracks, lug nuts/studs, tread depth, separation, pressure
- ☐ 31. Hubs- end play, leaks, ABS sensor, overall condition
- ☒ 32. Suspension- air bags, radius rods, bushings, shocks, mounting, leveling valves
- ☒ 33. Steering- king pins, ball joints, linkage, steering box, hoses, noise, function
- ☐ 34. Transmission/differential- function, leaks, fluid level, vents, mounting
- ☐ 35. Drive shaft- U-joints, slip joint, dents, clocking, safety hoop, straps, bolts
- ☐ 36. Frame- cracks, dents, damage, rust, holes, crossmembers, mounting
- ☐ 37. Chassis and undercarriage- overall condition, lubrication, dirt, grime build up
- ☒ 38. Wheelchair lift- operation, safety, markings, leaks, fluid level, cleanliness

CREW REPLACED  
TAIL LIGHTS  
WITH AMBER  
FLASHING LIGHTS

Hubed From suspension

Notes:

Mechanic:

JAMES CORRELL

Signature:

James V. Burfien

This inspection is equal to: Annual 49CFR 396.17-23 Appendix G and V/C 34505 Title 13 CCR 1232(b)

## VEHICLE REPAIR & SERVICE FORM

UNIT # 1506 DATE 7-29-19 MILEAGE 310,538 MECHANIC: JAMES/GRELL

### ITEMS REPAIRED OR REPLACED

#### TIRES

Left front ☐ Right front ☐

Left O/drive ☐ Right O/drive ☐

Left I/drive ☐ Right I/drive ☐

Left tag ☐ Right tag ☐

#### TIRE PRESURES

Left front \_\_\_\_\_ Right front \_\_\_\_\_

Left O/dr \_\_\_\_\_ Right O/dr \_\_\_\_\_

Left I/dr \_\_\_\_\_ Right I/dr \_\_\_\_\_

Left tag \_\_\_\_\_ Right tag \_\_\_\_\_

#### BRAKE PADS

Left front ☐ Right front ☐

Left O/dr ☐ Right O/dr ☐

Left I/dr ☐ Right I/dr ☐

Left tag ☐ Right tag ☐

Windshields \_\_\_\_\_ Wiper Blades \_\_\_\_\_ Batteries \_\_\_\_\_

Engine belts: Cooling fans: \_\_\_\_\_ A/C: \_\_\_\_\_ Alts.: \_\_\_\_\_

Warranty Part Numbers for replacement:

- 1: \_\_\_\_\_
- 2: \_\_\_\_\_
- 3: \_\_\_\_\_
- 4: \_\_\_\_\_
- 5: \_\_\_\_\_
- 6: \_\_\_\_\_

#### LIST REPAIRS AND DISCRIPTION OF WORK

LUBED FRONT SUSPENSIONS  
ADDED COOLANT  
REPLACED FLASHING AMBER CLEARANCE LIGHT  
MIDDLE BAY DOOR SIDE  
REPLACED TAIL LIGHTS (GRELL)

TOTAL WORK HOURS: \_\_\_\_\_

MECHANIC'S SIGNATURE

James Benjamin

# Vehicle Inspection Report

UNIT# 1506 DATE 7-15-19 MILEAGE 307,424

OK DEF

- ☒ 1. Entrance door, operation, markings, hand rails
- ☒ 2. Instruments, dash lights, switches, knobs, levers, readouts, gauges
- ☒ 3. Horns- air and electric
- ☒ 4. Drivers seat- mounting, adjustment, seat belt
- ☒ 5. Air compressor/governor- cut in/cut out 85 min-130 max psi
- ☒ 6. Brake air leaks- 2 psi/minute (static), 3 psi/minute (applied)
- ☒ 7. Low air warning- audible and or visual 60 psi min
- ☒ 8. Air tanks- drain, test check valves, perform split system test
- ☒ 9. Fire extinguisher, triangle reflectors(3), first aid kit (optional)
- ☒ 10. Restroom- lighting, seat, venting, flush, dump valves, holding tank(s)
- ☒ 11. Exterior lights, turn signals, emergency flashers, back up alarm and lights
- ☒ 12. Windshields, wipers, squirter, defrosters, sun shades, mirrors
- ☒ 13. Windows- cracks, mounting, leaks, labeling
- ☒ 14. Emergency exits- roof hatches, side windows, labeling and operation
- ☒ 15. Multimedia system- PA, audio/video, CD/DVD, amp, speakers
- ☒ 16. HVAC- function, fans, motor brushes, filters, leaks
- ☒ 17. Passenger seats- mounting, seat belts, condition, sliding (if W/C equipped)
- ☒ 18. Interior lighting and markings
- ☒ 19. Luggage bays- latches, handles, door operation, lighting
- ☒ 20. Batteries- fluid, terminals, cables, corrosion, hold down, shut off switch
- ☒ 21. Engine bay- cleanliness, fluid leaks, fluid levels, belts, pulleys, mounts
- ☒ 22. Engine accessories- mounting, cables, hoses, function
- ☒ 23. Alternators- mounting, cables, ducting, pulleys, output
- ☒ 24. Exhaust- leaks, mounting, tail pipe, overall condition
- ☒ 25. Fuel system- leaks, hose routing, securement, tank mounting, filler necks/caps
- ☒ 26. Cooling system- leaks, radiator, hoses, miter box, fan clutch, coolant level
- ☒ 27. Air system overall- air dryer, valves, lines, hoses
- ☒ 28. Brakes- lining thickness, rotors, cracks, chambers, adjustment, operation
- ☒ 29. Parking brake- push/pull, release/apply, stays applied with complete loss of air
- ☒ 30. Wheels- tires, cracks, lug nuts/studs, tread depth, separation, pressure
- ☒ 31. Hubs- end play, leaks, ABS sensor, overall condition
- ☒ 32. Suspension- air bags, radius rods, bushings, shocks, mounting, leveling valves
- ☒ 33. Steering- king pins, ball joints, linkage, steering box, hoses, noise, function
- ☒ 34. Transmission/differential- function, leaks, fluid level, vents, mounting
- ☒ 35. Drive shaft- U-joints, slip joint, dents, clocking, safety hoop, straps, bolts
- ☒ 36. Frame- cracks, dents, damage, rust, holes, crossmembers, mounting
- ☒ 37. Chassis and undercarriage- overall condition, lubrication, dirt, grime build up
- ☒ 38. Wheelchair lift- operation, safety, markings, leaks, fluid level, cleanliness

RECHARGE FREON  
REPLACE A/C WIRE HOSE

DRIVE AXLE  
BRAKE PADS

DRIVE TIRES REPIRED

Notes:

Mechanic:

JAMES GORE

Signature:

James J. Belfanti

This inspection is equal to: Annual 49CFR 396.23 Appendix G and V/C 34505 Title 13 CCR 1232(b)



## VEHICLE REPAIR & SERVICE FORM

UNIT # 1506 DATE 7-15-19 MILEAGE 307,424 MECHANIC: James Grebb

### ITEMS REPAIRED OR REPLACED

#### TIRES

Left front ☐ Right front ☐

Left O/drive ☒ Right O/drive ☒

Left I/drive ☒ Right I/drive ☒

Left tag ☐ Right tag ☐

#### TIRE PRESURES

Left front \_\_\_\_\_ Right front \_\_\_\_\_

Left O/dr 110 Right O/dr 110

Left I/dr 110 Right I/dr 110

Left tag \_\_\_\_\_ Right tag \_\_\_\_\_

#### BRAKE PADS

Left front ☐ Right front ☐

Left O/dr ☒ Right O/dr ☒

Left I/dr ☒ Right I/dr ☒

Left tag ☐ Right tag ☐

Windshields \_\_\_\_\_

Wiper Blades \_\_\_\_\_

Batteries \_\_\_\_\_

Engine belts: Cooling fans: \_\_\_\_\_

A/C: \_\_\_\_\_

Alts.: \_\_\_\_\_

Warranty Part Numbers for replacement:

1: \_\_\_\_\_

2: \_\_\_\_\_

3: \_\_\_\_\_

4: \_\_\_\_\_

5: \_\_\_\_\_

6: \_\_\_\_\_

#### LIST REPAIRS AND DISCRIPTION OF WORK

CLEANED ALL A/C FILTERS

REPLACED LH & RH DRIVE TIRES WITH NEW ONES

REPLACED LH & RH DRIVE BRAKE PADS WITH NEW

ONES

(GREBB) REPLACED A/C WOVEN HOSE & RECHARGED A/C  
SYSTEM WITH FREON

TOTAL WORK HOURS: \_\_\_\_\_

MECHANIC'S SIGNATURE

James A. Grebb

# Vehicle Inspection Report

UNIT# 1506

DATE 6-25-19

MILEAGE 303,986

OK DEF

- ☒ 1. Entrance door, operation, markings, hand rails
- ☒ 2. Instruments, dash lights, switches, knobs, levers, readouts, gauges
- ☒ 3. Horns- air and electric
- ☒ 4. Drivers seat- mounting, adjustment, seat belt
- ☒ 5. Air compressor/governor- cut in/cut out 85 min-130 max psi
- ☒ 6. Brake air leaks- 2 psi/minute (static), 3 psi/minute (applied)
- ☒ 7. Low air warning- audible and or visual 60 psi min
- ☒ 8. Air tanks- drain, test check valves, perform split system test
- ☒ 9. Fire extinguisher, triangle reflectors(3), first aid kit (optional)
- ☒ 10. Restroom- lighting, seat, venting, flush, dump valves, holding tank(s)
- ☒ 11. Exterior lights, turn signals, emergency flashers, back up alarm and lights
- ☒ 12. Windshields, wipers, squirters, defrosters, sun shades, mirrors
- ☒ 13. Windows- cracks, mounting, leaks, labeling
- ☒ 14. Emergency exits- roof hatches, side windows, labeling and operation
- ☒ 15. Multimedia system- PA, audio/video, CD/DVD, amp, speakers
- ☒ 16. HVAC- function, fans, motor brushes, filters, leaks
- ☒ 17. Passenger seats- mounting, seat belts, condition, sliding (if W/C equipped)
- ☒ 18. Interior lighting and markings
- ☒ 19. Luggage bays- latches, handles, door operation, lighting
- ☒ 20. Batteries- fluid, terminals, cables, corrosion, hold down, shut off switch
- ☒ 21. Engine bay- cleanliness, fluid leaks, fluid levels, belts, pulleys, mounts
- ☒ 22. Engine accessories- mounting, cables, hoses, function
- ☒ 23. Alternators- mounting, cables, ducting, pulleys, output
- ☒ 24. Exhaust- leaks, mounting, tail pipe, overall condition
- ☒ 25. Fuel system- leaks, hose routing, securement, tank mounting, filler necks/caps
- ☒ 26. Cooling system- leaks, radiator, hoses, miter box, fan clutch, coolant level
- ☒ 27. Air system overall- air dryer, valves, lines, hoses
- ☒ 28. Brakes- lining thickness, rotors, cracks, chambers, adjustment, operation
- ☒ 29. Parking brake- push/pull, release/apply, stays applied with complete loss of air
- ☒ 30. Wheels, tires- cracks, lug nuts/studs, tread depth, separation, pressure
- ☒ 31. Hubs- end play, leaks, ABS sensor, overall condition
- ☒ 32. Suspension- air bags, radius rods, bushings, shocks, mounting, leveling valves
- ☒ 33. Steering- king pins, ball joints, linkage, steering box, hoses, noise, function
- ☒ 34. Transmission/differential- function, leaks, fluid level, vents, mounting
- ☒ 35. Drive shaft- U-joints, slip joint, dents, clocking, safety hoop, straps, bolts
- ☒ 36. Frame- cracks, dents, damage, rust, holes, crossmembers, mounting
- ☒ 37. Chassis and undercarriage- overall condition, lubrication, dirt, grime build up
- ☒ 38. Wheelchair lift- operation, safety, markings, leaks, fluid level, cleanliness

LOC OUTSIDE DOOR  
INSTANT ASSIST HANDLE IN  
BATHROOM

WINDSHIELD WASHER FLUID  
RESERVOIR

ADD COOLANT

Notes:

Mechanic: James

Signature: James A. Bryan

This inspection is equal to: Annual 49CFR 396.17-23 Appendix G and V/C 34505 Title 13 CCR 1232(b)

## VEHICLE REPAIR & SERVICE FORM

UNIT #: 1506 DATE: 6-25-19 MILEAGE: 303,986 MECHANIC: JAMES

### ITEMS REPAIRED OR REPLACED

#### TIRES

Left front ☐ Right front ☐  
Left O/drive ☐ Right O/drive ☐  
Left I/drive ☐ Right I/drive ☐  
Left tag ☐ Right tag ☐

#### TIRE PRESURES

Left front \_\_\_\_\_ Right front \_\_\_\_\_  
Left O/dr \_\_\_\_\_ Right O/dr \_\_\_\_\_  
Left I/dr \_\_\_\_\_ Right I/dr \_\_\_\_\_  
Left tag \_\_\_\_\_ Right tag \_\_\_\_\_

#### BRAKE PADS

Left front ☐ Right front ☐  
Left O/dr ☐ Right O/dr ☐  
Left I/dr ☐ Right I/dr ☐  
Left tag ☐ Right tag ☐

Windshields \_\_\_\_\_ Wiper Blades \_\_\_\_\_ Batteries \_\_\_\_\_

Engine belts: Cooling fans: \_\_\_\_\_ A/C: \_\_\_\_\_ Alts.: \_\_\_\_\_

Warranty Part Numbers for replacement:

- 1: \_\_\_\_\_
- 2: \_\_\_\_\_
- 3: \_\_\_\_\_
- 4: \_\_\_\_\_
- 5: \_\_\_\_\_
- 6: \_\_\_\_\_

#### LIST REPAIRS AND DISCRIPTION OF WORK

INSTALLED ASSIST HANDLE IN BATHROOM & LATCH ON CLOSET DOOR

FILLED WINDSHIELD WASHER FLUID RESERVOIR

ADDED COOLANT 1 GALLON

TOTAL WORK HOURS: \_\_\_\_\_

MECHANIC'S SIGNATURE: \_\_\_\_\_

*James C. Bingham*

# Vehicle Inspection Report

UNIT# 1506 DATE 5-29-19 MILEAGE 298,661

OK DEF

- ☐ 1. Entrance door, operation, markings, hand rails
- ☐ 2. Instruments, dash lights, switches, knobs, levers, readouts, gauges
- ☐ 3. Horns- air and electric
- ☐ 4. Drivers seat- mounting, adjustment, seat belt
- ☐ 5. Air compressor/governor- cut in/cut out 85 min-130 max psi
- ☐ 6. Brake air leaks- 2 psi/minute (static), 3 psi/minute (applied)
- ☐ 7. Low air warning- audible and or visual 60 psi min
- ☐ 8. Air tanks- drain, test check valves, perform split system test
- ☐ 9. Fire extinguisher, triangle reflectors(3), first aid kit (optional)
- ☒ 10. Restroom- lighting, seat, venting, flush, dump valves, holding tank(s)
- ☐ 11. Exterior lights, turn signals, emergency flashers, back up alarm and lights
- ☐ 12. Windshields, wipers, squirters, defrosters, sun shades, mirrors
- ☐ 13. Windows- cracks, mounting, leaks, labeling
- ☐ 14. Emergency exits- roof hatches, side windows, labeling and operation
- ☐ 15. Multimedia system- PA, audio/video, CD/DVD, amp, speakers
- ☒ 16. HVAC- function, fans, motor brushes, filters, leaks
- ☐ 17. Passenger seats- mounting, seat belts, condition, sliding (if W/C equipped)
- ☐ 18. Interior lighting and markings
- ☐ 19. Luggage bays- latches, handles, door operation, lighting
- ☒ 20. Batteries- fluid, terminals, cables, corrosion, hold down, shut off switch
- ☒ 21. Engine bay- cleanliness, fluid leaks, fluid levels, belts, pulleys, mounts
- ☐ 22. Engine accessories- mounting, cables, hoses, function
- ☐ 23. Alternators- mounting, cables, ducting, pulleys, output
- ☐ 24. Exhaust- leaks, mounting, tail pipe, overall condition
- ☐ 25. Fuel system- leaks, hose routing, securement, tank mounting, filler necks/caps
- ☐ 26. Cooling system- leaks, radiator, hoses, miter box, fan clutch, coolant level
- ☐ 27. Air system overall- air dryer, valves, lines, hoses
- ☐ 28. Brakes- lining thickness, rotors, cracks, chambers, adjustment, operation
- ☐ 29. Parking brake- push/pull, release/appl'y, stays applied with complete loss of air
- ☐ 30. Wheels, tires- cracks, lug nuts/studs, tread depth, separation, pressure
- ☐ 31. Hubs- end play, leaks, ABS sensor, overall condition
- ☐ 32. Suspension- air bags, radius rods, bushings, shocks, mounting, leveling valves
- ☐ 33. Steering- king pins, ball joints, linkage, steering box, hoses, noise, function
- ☐ 34. Transmission/differential- function, leaks, fluid level, vents, mounting
- ☐ 35. Drive shaft- U-joints, slip joint, dents, clocking, safety hoop, straps, bolts
- ☐ 36. Frame- cracks, dents, damage, rust, holes, crossmembers, mounting
- ☐ 37. Chassis and undercarriage- overall condition, lubrication, dirt, grime build up
- ☒ 38. Wheelchair lift- operation, safety, markings, leaks, fluid level, cleanliness

INSTALL NEW ASSIST HANDLE

CHANG OIL & FILTER CHANGE

REPLACE FUEL FILTERS @ SPIN ON @ CAMPUSED

Notes:

Mechanic:

James

Signature:

James C. Buehler

This inspection is equal to: Annual 49CFR 396.17-23 Appendix G and VIC 34505 Title 13 CCR 1232(b)

## VEHICLE REPAIR & SERVICE FORM

UNIT #: 1506 DATE: 5-29-19 MILEAGE: 298,661 MECHANIC: JAMES

### ITEMS REPAIRED OR REPLACED

#### TIRES

Left front [ ] Right front [ ]

Left O/drive [ ] Right O/drive [ ]

Left I/drive [ ] Right I/drive [ ]

Left tag [ ] Right tag [ ]

#### TIRE PRESURES

Left front \_\_\_\_\_ Right front \_\_\_\_\_

Left O/dr \_\_\_\_\_ Right O/dr \_\_\_\_\_

Left I/dr \_\_\_\_\_ Right I/dr \_\_\_\_\_

Left tag \_\_\_\_\_ Right tag \_\_\_\_\_

#### BRAKE PADS

Left front [ ] Right front [ ]

Left O/dr [ ] Right O/dr [ ]

Left I/dr [ ] Right I/dr [ ]

Left tag [ ] Right tag [ ]

Windshields \_\_\_\_\_ Wiper Blades \_\_\_\_\_ Batteries \_\_\_\_\_

Engine belts: Cooling fans: \_\_\_\_\_ A/C: \_\_\_\_\_ Alts.: \_\_\_\_\_

#### Warranty Part Numbers for replacement:

1: \_\_\_\_\_

2: \_\_\_\_\_

3: \_\_\_\_\_

4: \_\_\_\_\_

5: \_\_\_\_\_

6: \_\_\_\_\_

#### LIST REPAIRS AND DISCRIPTION OF WORK

CLEANED ALL A/C FILTERS & BATHROOM VENT SCREEN  
DRAINED OIL ADDED NEW

REPLACED OLD OIL FILTERS WITH NEW ONES ② #1791 ① #1660  
INSTALLED ASSIST HANDLE IN BATHROOM

REPLACED SPIN ON & CANNISTER FUEL FILTERS WITH  
NEW ONES

TOTAL WORK HOURS: \_\_\_\_\_

MECHANIC'S SIGNATURE: \_\_\_\_\_

James T. Bingham

## VEHICLE REPAIR & SERVICE FORM

UNIT # 1506 DATE: 5-16-19 MILEAGE: ? MECHANIC: JAMES

### ITEMS REPAIRED OR REPLACED

#### TIRES

Left front ☒ Right front ☒

Left O/drive ☐ Right O/drive ☐

Left I/drive ☐ Right I/drive ☐

Left tag ☐ Right tag ☐

#### TIRE PRESURES

Left front 120 Right front 120

Left O/dr \_\_\_\_\_ Right O/dr \_\_\_\_\_

Left I/dr \_\_\_\_\_ Right I/dr \_\_\_\_\_

Left tag \_\_\_\_\_ Right tag \_\_\_\_\_

#### BRAKE PADS

Left front ☐ Right front ☐

Left O/dr ☐ Right O/dr ☐

Left I/dr ☐ Right I/dr ☐

Left tag ☐ Right tag ☐

Windshields \_\_\_\_\_ Wiper Blades \_\_\_\_\_ Batteries \_\_\_\_\_

Engine belts: Cooling fans: \_\_\_\_\_ A/C: \_\_\_\_\_ Alts.: \_\_\_\_\_

#### Warranty Part Numbers for replacement:

- 1: \_\_\_\_\_
- 2: \_\_\_\_\_
- 3: \_\_\_\_\_
- 4: \_\_\_\_\_
- 5: \_\_\_\_\_
- 6: \_\_\_\_\_

#### LIST REPAIRS AND DISCRIPTION OF WORK

REPLACED RH & LH FRONT TIRES WITH NEW ONES  
REPAIRED SPARE TIRE BAY DOOR

TOTAL WORK HOURS: \_\_\_\_\_

MECHANIC'S SIGNATURE

*James K. B...*

# Vehicle Inspection Report

UNIT# 1506

DATE 3-18-19

MILEAGE 284,174

OK DEF

- ☒ [ ] 1. Entrance door, operation, markings, hand rails
- ☒ [ ] 2. Instruments, dash lights, switches, knobs, levers, readouts, gauges
- ☒ [ ] 3. Horns- air and electric
- ☒ [ ] 4. Drivers seat- mounting, adjustment, seat belt
- ☒ [ ] 5. Air compressor/governor- cut in/cut out 85 min-130 max psi
- ☒ [ ] 6. Brake air leaks- 2 psi/minute (static), 3 psi/minute (applied)
- ☒ [ ] 7. Low air warning- audible and or visual 60 psi min
- ☒ [ ] 8. Air tanks- drain, test check valves, perform split system test
- ☒ [ ] 9. Fire extinguisher, triangle reflectors(3), first aid kit (optional)
- ☒ [ ] 10. Restroom- lighting, seat, venting, flush, dump valves, holding tank(s)
- ☒ [ ] 11. Exterior lights, turn signals, emergency flashers, back up alarm and lights
- ☒ [ ] 12. Windshields, wipers, squinters, defrosters, sun shades, mirrors
- ☒ [ ] 13. Windows- cracks, mounting, leaks, labeling
- ☒ [ ] 14. Emergency exits- roof hatches, side windows, labeling and operation
- ☒ [ ] 15. Multimedia system- PA, audio/video, CD/DVD, amp, speakers
- ☒ [ ] 16. HVAC- function, fans, motor brushes, filters, leaks
- ☒ [ ] 17. Passenger seats- mounting, seat belts, condition, sliding (if W/C equipped)
- ☒ [ ] 18. Interior lighting and markings
- ☒ [ ] 19. Luggage bays- latches, handles, door operation, lighting
- ☒ [ ] 20. Batteries- fluid, terminals, cables, corrosion, hold down, shut off switch
- ☒ [ ] 21. Engine bay- cleanliness, fluid leaks, fluid levels, belts, pulleys, mounts
- ☒ [ ] 22. Engine accessories- mounting, cables, hoses, function
- ☒ [ ] 23. Alternators- mounting, cables, ducting, pulleys, output
- ☒ [ ] 24. Exhaust- leaks, mounting, tail pipe, overall condition
- ☒ [ ] 25. Fuel system- leaks, hose routing, securement, tank mounting, filler necks/caps
- ☒ [ ] 26. Cooling system- leaks, radiator, hoses, miter box, fan clutch, coolant level
- ☒ [ ] 27. Air system overall- air dryer, valves, lines, hoses
- ☒ [ ] 28. Brakes lining thickness, rotors, cracks, chambers, adjustment, operation
- ☒ [ ] 29. Parking brake- push/pull, release/apply, stays applied with complete loss of air
- ☒ [ ] 30. Wheels, tires- cracks, lug nuts/studs, tread depth, separation, pressure
- ☒ [ ] 31. Hubs- end play, leaks, ABS sensor, overall condition
- ☒ [ ] 32. Suspension- air bags, radius rods, bushings, shocks, mounting, leveling valves
- ☒ [ ] 33. Steering- king pins, ball joints, linkage, steering box, hoses, noise, function
- ☒ [ ] 34. Transmission/differential- function, leaks, fluid level, vents, mounting
- ☒ [ ] 35. Drive shaft- U-joints, slip joint, dents, clocking, safety hoop, straps, bolts
- ☒ [ ] 36. Frame- cracks, dents, damage, rust, holes, crossmembers, mounting
- ☒ [ ] 37. Chassis and undercarriage- overall condition, lubrication, dirt, grime build up

VELCRO STRAPS BATHROOM  
DOOR  
TOP REAR DRIVER SIDE  
RED CLEARANCE LIGHT

Brake PADS FRONT  
LH

FRONT LH ROTOR  
FRONT LH AIR BAG

N/A

Notes:

Mechanic: James Crebb

Signature: James Crebb

This inspection is equal to: Annual 49CFR 396.17-23 Appendix G and V/C 34505 Title 13 CCR 1232(b)



## VEHICLE REPAIR & SERVICE FORM

UNIT # 1506 DATE: 3-18-19 MILEAGE: 284,174 MECHANIC: James/Greg

### ITEMS REPAIRED OR REPLACED

#### TIRES

Left front ☐ Right front ☐

Left O/drive ☐ Right O/drive ☐

Left I/drive ☐ Right I/drive ☐

Left tag ☐ Right tag ☐

#### TIRE PRESURES

Left front \_\_\_\_\_ Right front \_\_\_\_\_

Left O/dr \_\_\_\_\_ Right O/dr \_\_\_\_\_

Left I/dr \_\_\_\_\_ Right I/dr \_\_\_\_\_

Left tag \_\_\_\_\_ Right tag \_\_\_\_\_

#### BRAKE PADS

Left front ☒ Right front ☒

Left O/dr ☐ Right O/dr ☐

Left I/dr ☐ Right I/dr ☐

Left tag ☐ Right tag ☐

Windshields \_\_\_\_\_ Wiper Blades \_\_\_\_\_ Batteries \_\_\_\_\_

Engine belts: Cooling fans: \_\_\_\_\_ A/C: \_\_\_\_\_ Alts.: \_\_\_\_\_

Warranty Part Numbers for replacement:

- 1: \_\_\_\_\_
- 2: \_\_\_\_\_
- 3: \_\_\_\_\_
- 4: \_\_\_\_\_
- 5: \_\_\_\_\_
- 6: \_\_\_\_\_

#### LIST REPAIRS AND DISCRIPTION OF WORK

(GREGG) > REPLACED LH FRONT ROTOR & BRAKE PADS WITH  
NEW ONES

CLEANED ALL A/C FILTERS - FILLED WINDSHIELD WASHER  
FLUID RESERVOIR

REPAIRED FRONT LH & RH LOWER WIPERS

(GREGG) REPLACED FRONT LH AIR BAG WITH NEW ONE

REPLACED VELCRO STRIPS BATHROOM DOOR

REPLACED RED CLEARANCE LITE REAR TOP LH SIDE WITH  
NEW ONE

ADDED COOLANT

TOTAL WORK HOURS: \_\_\_\_\_

MECHANIC'S SIGNATURE: \_\_\_\_\_

*James C. Bunting*

# Vehicle Inspection Report

UNIT# 1506 DATE 2-15-19 MILEAGE 279188

OK DEF

- ☒ 1. Entrance door, operation, markings, hand rails
- ☒ 2. Instruments, dash lights, switches, knobs, levers, readouts, gauges
- ☒ 3. Horns- air and electric
- ☒ 4. Drivers seat- mounting, adjustment, seat belt
- ☒ 5. Air compressor/governor- cut in/cut out 85 min-130 max psi
- ☒ 6. Brake air leaks- 2 psi/minute (static), 3 psi/minute (applied)
- ☒ 7. Low air warning- audible and or visual 60 psi min
- ☒ 8. Air tanks- drain, test check valves, perform split system test
- ☒ 9. Fire extinguisher, triangle reflectors(3), first aid kit (optional)
- ☒ 10. Restroom- lighting, seat, venting, flush, dump valves, holding tank(s)
- ☒ 11. Exterior lights, turn signals, emergency flashers, back up alarm and lights
- ☒ 12. Windshields, wipers, squirters, defrosters, sun shades, mirrors
- ☒ 13. Windows- cracks, mounting, leaks, labeling
- ☒ 14. Emergency exits- roof hatches, side windows, labeling and operation
- ☒ 15. Multimedia system- PA, audio/video, CD/DVD, amp, speakers
- ☒ 16. HVAC- function, fans, motor brushes, filters, leaks
- ☒ 17. Passenger seats- mounting, seat belts, condition, sliding (if W/C equipped)
- ☒ 18. Interior lighting and markings
- ☒ 19. Luggage bays- latches, handles, door operation, lighting
- ☒ 20. Batteries- fluid, terminals, cables, corrosion, hold down, shut off switch
- ☒ 21. Engine bay- cleanliness, fluid leaks, fluid levels, belts, pulleys, mounts
- ☒ 22. Engine accessories- mounting, cables, hoses, function
- ☒ 23. Alternators- mounting, cables, ducting, pulleys, output
- ☒ 24. Exhaust- leaks, mounting, tail pipe, overall condition
- ☒ 25. Fuel system- leaks, hose routing, securement, tank mounting, filler necks/caps
- ☒ 26. Cooling system- leaks, radiator, hoses, miter box, fan clutch, coolant level
- ☒ 27. Air system overall- air dryer, valves, lines, hoses
- ☒ 28. Brakes- lining thickness, rotors, cracks, chambers, adjustment, operation
- ☒ 29. Parking brake- push/pull, release/apply, stays applied with complete loss of air
- ☒ 30. Wheels, tires- cracks, lug nuts/studs, tread depth, separation, pressure
- ☒ 31. Hubs- end play, leaks, ABS sensor, overall condition
- ☒ 32. Suspension- air bags, radius rods, bushings, shocks, mounting, leveling valves
- ☒ 33. Steering- king pins, ball joints, linkage, steering box, hoses, noise, function
- ☒ 34. Transmission/differential- function, leaks, fluid level, vents, mounting
- ☒ 35. Drive shaft- U-joints, slip joint, dents, clocking, safety hoop, straps, bolts
- ☒ 36. Frame- cracks, dents, damage, rust, holes, crossmembers, mounting
- ☒ 37. Chassis and undercarriage- overall condition, lubrication, dirt, grime build up
- ☒ 38. Wheelchair lift- operation, safety, markings, leaks, fluid level, cleanliness

Notes:

(R) front rotor cracked

Mechanic:

GFE

Signature:

[Signature]

## VEHICLE REPAIR & SERVICE FORM

UNIT # 1506 DATE: 2-15-19 MILEAGE 279,188 MECHANIC: JAMES GREENE

### ITEMS REPAIRED OR REPLACED

#### TIRES

Left front ☐ Right front ☐  
Left O/drive ☐ Right O/drive ☐  
Left I/drive ☐ Right I/drive ☐  
Left tag ☐ Right tag ☐

#### TIRE PRESURES

Left front \_\_\_\_\_ Right front \_\_\_\_\_  
Left O/dr \_\_\_\_\_ Right O/dr \_\_\_\_\_  
Left I/dr \_\_\_\_\_ Right I/dr \_\_\_\_\_  
Left tag \_\_\_\_\_ Right tag \_\_\_\_\_

#### BRAKE PADS

Left front ☐ Right front ☐  
Left O/dr ☐ Right O/dr ☐  
Left I/dr ☐ Right I/dr ☐  
Left tag ☐ Right tag ☐

Windshields \_\_\_\_\_ Wiper Blades \_\_\_\_\_ Batteries \_\_\_\_\_

Engine belts: Cooling fans: \_\_\_\_\_ A/C: \_\_\_\_\_ Alts.: \_\_\_\_\_

#### Warranty Part Numbers for replacement:

- 1: \_\_\_\_\_
- 2: \_\_\_\_\_
- 3: \_\_\_\_\_
- 4: \_\_\_\_\_
- 5: \_\_\_\_\_
- 6: \_\_\_\_\_

#### LIST REPAIRS AND DISCRIPTION OF WORK

REPLACED AIR FILTER WITH NEW ONE #6623

REPLACED FRONT DOOR SIDE ROTOR WITH NEW  
ONE

TOTAL WORK HOURS: \_\_\_\_\_

MECHANIC'S SIGNATURE: \_\_\_\_\_

*James A. Byrne*

## VEHICLE REPAIR & SERVICE FORM

UNIT # 1506 DATE: 2-5-19 MILEAGE: 277,710 MECHANIC: JAMES GREGG

### ITEMS REPAIRED OR REPLACED

#### TIRES

Left front ☐ Right front ☐

Left O/drive ☐ Right O/drive ☐

Left I/drive ☐ Right I/drive ☐

Left tag ☐ Right tag ☐

#### TIRE PRESURES

Left front \_\_\_\_\_ Right front \_\_\_\_\_

Left O/dr \_\_\_\_\_ Right O/dr \_\_\_\_\_

Left I/dr \_\_\_\_\_ Right I/dr \_\_\_\_\_

Left tag \_\_\_\_\_ Right tag \_\_\_\_\_

#### BRAKE PADS

Left front ☐ Right front ☐

Left O/dr ☐ Right O/dr ☐

Left I/dr ☐ Right I/dr ☐

Left tag ☐ Right tag ☐

Windshields \_\_\_\_\_ Wiper Blades \_\_\_\_\_ Batteries \_\_\_\_\_

Engine belts: Cooling fans: \_\_\_\_\_ A/C: \_\_\_\_\_ Alts.: \_\_\_\_\_

#### Warranty Part Numbers for replacement:

1: \_\_\_\_\_

2: \_\_\_\_\_

3: \_\_\_\_\_

4: \_\_\_\_\_

5: \_\_\_\_\_

6: \_\_\_\_\_

#### LIST REPAIRS AND DISCRIPTION OF WORK

(GREGG) - REPLACED LOWER WINDSHIELD WIPER  
MOTOR WITH NEW ONE

REPLACED BATTERIES WITH NEW ONES

TOTAL WORK HOURS: \_\_\_\_\_

MECHANIC'S SIGNATURE

James A. Byrnes

# Vehicle Inspection Report

UNIT# 1506

DATE 1-25-19

MILEAGE 275,590

OK DEF

- ☒ [ ] 1. Entrance door, operation, markings, hand rails
- ☒ [ ] 2. Instruments, dash lights, switches, knobs, levers, readouts, gauges
- ☒ [ ] 3. Horns- air and electric
- ☒ [ ] 4. Drivers seat- mounting, adjustment, seat belt
- ☒ [ ] 5. Air compressor/governor- cut in/cut out 85 min-130 max psi
- ☒ [ ] 6. Brake air leaks- 2 psi/minute (static), 3 psi/minute (applied)
- ☒ [ ] 7. Low air warning- audible and or visual 60 psi min
- ☒ [ ] 8. Air tanks- drain, test check valves, perform split system test
- ☒ [ ] 9. Fire extinguisher, triangle reflectors(3), first aid kit (optional)
- ☒ [ ] 10. Restroom- lighting, seat, venting, flush, dump valves, holding tank(s) - VELCRO STRAPS
- ☒ [ ] 11. Exterior lights, turn signals, emergency flashers, back up alarm and lights
- ☒ [ ] 12. Windshields, wipers, squirters, defrosters, sun shades, mirrors
- ☒ [ ] 13. Windows- cracks, mounting, leaks, labeling
- ☒ [ ] 14. Emergency exits- roof hatches, side windows, labeling and operation
- ☒ [ ] 15. Multimedia system- PA, audio/video, CD/DVD, amp, speakers
- ☒ [ ] 16. HVAC- function, fans, motor brushes, filters, leaks
- ☒ [ ] 17. Passenger seats- mounting, seat belts, condition, sliding (if W/C equipped)
- ☒ [ ] 18. Interior lighting and markings
- ☒ [ ] 19. Luggage bays- latches, handles, door operation, lighting
- ☒ [ ] 20. Batteries- fluid, terminals, cables, corrosion, hold down, shut off switch
- ☒ [ ] 21. Engine bay- cleanliness, fluid leaks, fluid levels, belts, pulleys, mounts
- ☒ [ ] 22. Engine accessories- mounting, cables, hoses, function
- ☒ [ ] 23. Alternators- mounting, cables, ducting, pulleys, output
- ☒ [ ] 24. Exhaust- leaks, mounting, tail pipe, overall condition
- ☒ [ ] 25. Fuel system- leaks, hose routing, securement, tank mounting, filler necks/caps
- ☒ [ ] 26. Cooling system- leaks, radiator, hoses, miter box, fan clutch, coolant level
- ☒ [ ] 27. Air system overall- air dryer, valves, lines, hoses
- ☒ [ ] 28. Brakes- lining thickness, rotors, cracks, chambers, adjustment, operation
- ☒ [ ] 29. Parking brake- push/pull, release/apply, stays applied with complete loss of air
- ☒ [ ] 30. Wheels, tires- cracks, lug nuts/studs, tread depth, separation, pressure
- ☒ [ ] 31. Hubs- end play, leaks, ABS sensor, overall condition
- ☒ [ ] 32. Suspension- air bags, radius rods, bushings, shocks, mounting, leveling valves
- ☒ [ ] 33. Steering- king pins, ball joints, linkage, steering box, hoses, noise, function
- ☒ [ ] 34. Transmission/differential- function, leaks, fluid level, vents, mounting
- ☒ [ ] 35. Drive shaft- U-joints, slip joint, dents, clocking, safety hoop, straps, bolts
- ☒ [ ] 36. Frame- cracks, dents, damage, rust, holes, crossmembers, mounting
- ☒ [ ] 37. Chassis and undercarriage- overall condition, lubrication, dirt, grime build up
- ☒ [ ] 38. Wheelchair lift- operation, safety, markings, leaks, fluid level, cleanliness

N/A  
Notes: \_\_\_\_\_

Mechanic: JAMES

Signature: James A. Bryanton

This inspection is equal to: Annual 49CFR 396.17-23 Appendix G and V/C 34505 Title 13 CCR 1232(b)

## VEHICLE REPAIR & SERVICE FORM

UNIT #: 1506 DATE: 1-25-19 MILEAGE: 275,590 MECHANIC: JAMES

### ITEMS REPAIRED OR REPLACED

#### TIRES

Left front ☐ Right front ☐

Left O/drive ☐ Right O/drive ☐

Left I/drive ☐ Right I/drive ☐

Left tag ☐ Right tag ☐

#### TIRE PRESURES

Left front \_\_\_\_\_ Right front \_\_\_\_\_

Left O/dr \_\_\_\_\_ Right O/dr \_\_\_\_\_

Left I/dr \_\_\_\_\_ Right I/dr \_\_\_\_\_

Left tag \_\_\_\_\_ Right tag \_\_\_\_\_

#### BRAKE PADS

Left front ☐ Right front ☐

Left O/dr ☐ Right O/dr ☐

Left I/dr ☐ Right I/dr ☐

Left tag ☐ Right tag ☐

Windshields \_\_\_\_\_ Wiper Blades \_\_\_\_\_ Batteries \_\_\_\_\_

Engine belts: Cooling fans: \_\_\_\_\_ A/C: \_\_\_\_\_ Alts.: \_\_\_\_\_

#### Warranty Part Numbers for replacement:

1: \_\_\_\_\_

2: \_\_\_\_\_

3: \_\_\_\_\_

4: \_\_\_\_\_

5: \_\_\_\_\_

6: \_\_\_\_\_

#### LIST REPAIRS AND DISCRIPTION OF WORK

REPLACE VELCRO STRIPS BATHROOM DOOR

CLEAN ALL A/C FILTERS & BATHROOM VENT SCREEN

TOTAL WORK HOURS: \_\_\_\_\_

MECHANIC'S SIGNATURE: \_\_\_\_\_

James J. Bingham

## VEHICLE REPAIR & SERVICE FORM

UNIT #: 1506 DATE 12-26-18 MILEAGE: 272,454 MECHANIC JAMES

### ITEMS REPAIRED OR REPLACED

#### TIRES

Left front ☐ Right front ☐

Left O/drive ☒ Right O/drive ☐

Left I/drive ☐ Right I/drive ☐

Left tag ☐ Right tag ☐

#### TIRE PRESURES

Left front Right front \_\_\_\_\_

Left O/dr 110 Right O/dr \_\_\_\_\_

Left I/dr Right I/dr \_\_\_\_\_

Left tag Right tag \_\_\_\_\_

#### BRAKE PADS

Left front ☐ Right front ☐

Left O/dr ☐ Right O/dr ☐

Left I/dr ☐ Right I/dr ☐

Left tag ☐ Right tag ☐

Windshields \_\_\_\_\_

Wiper Blades \_\_\_\_\_

Batteries \_\_\_\_\_

Engine belts: Cooling fans: \_\_\_\_\_ A/C: \_\_\_\_\_ Alts.: \_\_\_\_\_

Warranty Part Numbers for replacement:

1: \_\_\_\_\_

2: \_\_\_\_\_

3: \_\_\_\_\_

4: \_\_\_\_\_

5: \_\_\_\_\_

6: \_\_\_\_\_

LIST REPAIRS AND DISCRIPTION OF WORK

REPLACED LH OUTSIDE DRIVE TIRE WITH NEW  
ONE

TOTAL WORK HOURS: \_\_\_\_\_

MECHANIC'S SIGNATURE: \_\_\_\_\_

James A. Bingham



# Vehicle Inspection Report

UNIT# 1506

DATE 11-19-18

MILEAGE 267,565

OK DEF

- ☒ [ ] 1. Entrance door, operation, markings, hand rails
- ☒ [ ] 2. Instruments, dash lights, switches, knobs, levers, readouts, gauges
- ☒ [ ] 3. Horns- air and electric
- ☒ [ ] 4. Drivers seat- mounting, adjustment, seat belt
- ☒ [ ] 5. Air compressor/governor- cut in/cut out 85 min-130 max psi
- ☒ [ ] 6. Brake air leaks- 2 psi/minute (static), 3 psi/minute (applied)
- ☒ [ ] 7. Low air warning- audible and or visual 60 psi min
- ☒ [ ] 8. Air tanks- drain, test check valves, perform split system test
- ☒ [ ] 9. Fire extinguisher, triangle reflectors(3), first aid kit (optional)
- ☒ [ ] 10. Restroom- lighting, seat, venting, flush, dump valves, holding tank(s)
- ☒ [ ] 11. Exterior lights, turn signals, emergency flashers, back up alarm and lights
- ☒ [ ] 12. Windshields, wipers, squirters, defrosters, sun shades, mirrors
- ☒ [ ] 13. Windows- cracks, mounting, leaks, labeling
- ☒ [ ] 14. Emergency exits- roof hatches, side windows, labeling and operation
- ☒ [ ] 15. Multimedia system- PA, audio/video, CD/DVD, amp, speakers
- ☒ [ ] 16. HVAC- function, fans, motor brushes, filters, leaks
- ☒ [ ] 17. Passenger seats- mounting, seat belts, condition, sliding (if W/C equipped)
- ☒ [ ] 18. Interior lighting and markings
- ☒ [ ] 19. Luggage bays- latches, handles, door operation, lighting
- ☒ [ ] 20. Batteries- fluid, terminals, cables, corrosion, hold down, shut off switch
- ☒ [ ] 21. Engine bay- cleanliness, fluid leaks, fluid levels, belts, pulleys, mounts
- ☒ [ ] 22. Engine accessories- mounting, cables, hoses, function
- ☒ [ ] 23. Alternators- mounting, cables, ducting, pulleys, output
- ☒ [ ] 24. Exhaust- leaks, mounting, tail pipe, overall condition
- ☒ [ ] 25. Fuel system- leaks, hose routing, securement, tank mounting, filler necks/caps
- ☒ [ ] 26. Cooling system- leaks, radiator, hoses, miter box, fan clutch, coolant level
- ☒ [ ] 27. Air system overall- air dryer, valves, lines, hoses
- ☒ [ ] 28. Brakes- lining thickness, rotors, cracks, chambers, adjustment, operation
- ☒ [ ] 29. Parking brake- push/pull, release/apply, stays applied with complete loss of air
- ☒ [ ] 30. Wheels (tires) cracks, lug nuts/studs, tread depth, separation, pressure
- ☒ [ ] 31. Hubs- end play, leaks, ABS sensor, overall condition
- ☒ [ ] 32. Suspension- air bags, radius rods, bushings, shocks, mounting, leveling valves
- ☒ [ ] 33. Steering- king pins, ball joints, linkage, steering box, hoses, noise, function
- ☒ [ ] 34. Transmission/differential- function, leaks, fluid level, vents, mounting
- ☒ [ ] 35. Drive shaft- U-joints, slip joint, dents, clocking, safety hoop, straps, bolts
- ☒ [ ] 36. Frame- cracks, dents, damage, rust, holes, crossmembers, mounting
- ☒ [ ] 37. Chassis and undercarriage- overall condition, lubrication, dirt, grime build up
- ☒ [ ] 38. Wheelchair lift- operation, safety, markings, leaks, fluid level, cleanliness

Notes:

Mechanic:

JAMES

Signature:

James A. Brayshaw

This inspection is equal to: Annual 49CFR 396.17-23 Appendix G and V/C 34505 Title 13 CCR 1232(b)

## VEHICLE REPAIR & SERVICE FORM

UNIT #: 1506 DATE: 11-19-10 MILEAGE: 267,565 MECHANIC: James

### ITEMS REPAIRED OR REPLACED

#### TIRES

Left front ☐ Right front ☐

Left O/drive ☐ Right O/drive ☐

Left I/drive ☐ Right I/drive ☐

Left tag ☐ Right tag ☒

#### TIRE PRESURES

Left front \_\_\_\_\_ Right front \_\_\_\_\_

Left O/dr \_\_\_\_\_ Right O/dr \_\_\_\_\_

Left I/dr \_\_\_\_\_ Right I/dr \_\_\_\_\_

Left tag \_\_\_\_\_ Right tag 20

#### BRAKE PADS

Left front ☐ Right front ☐

Left O/dr ☐ Right O/dr ☐

Left I/dr ☐ Right I/dr ☐

Left tag ☐ Right tag ☐

Windshields \_\_\_\_\_ Wiper Blades \_\_\_\_\_ Batteries \_\_\_\_\_

Engine belts: Cooling fans: \_\_\_\_\_ A/C: \_\_\_\_\_ Alts.: \_\_\_\_\_

#### Warranty Part Numbers for replacement:

1: \_\_\_\_\_

2: \_\_\_\_\_

3: \_\_\_\_\_

4: \_\_\_\_\_

5: \_\_\_\_\_

6: \_\_\_\_\_

#### LIST REPAIRS AND DISCRIPTION OF WORK

REPLACED RH TAG TIRE WITH NEW ONE

TOTAL WORK HOURS: \_\_\_\_\_

MECHANIC'S SIGNATURE: \_\_\_\_\_

James A. Benjamin

# Vehicle Inspection Report

UNIT# 1506

DATE 11-5-18

MILEAGE 264,233

OK DEF

- ☒ 1. Entrance door, operation, markings, hand rails
- ☒ 2. Instruments, dash lights, switches, knobs, levers, readouts, gauges
- ☒ 3. Horns- air and electric
- ☒ 4. Drivers seat- mounting, adjustment, seat belt
- ☒ 5. Air compressor/governor- cut in/cut out 85 min-130 max psi
- ☒ 6. Brake air leaks- 2 psi/minute (static), 3 psi/minute (applied)
- ☒ 7. Low air warning- audible and or visual 60 psi min
- ☒ 8. Air tanks- drain, test check valves, perform split system test
- ☒ 9. Fire extinguisher, triangle reflectors(3), first aid kit (optional)
- ☒ 10. Restroom- lighting, seat, venting, flush, dump valves, holding tank(s)
- ☒ 11. Exterior lights, turn signals, emergency flashers, back up alarm and lights
- ☒ 12. Windshields, wipers, squirters, defrosters, sun shades, mirrors
- ☒ 13. Windows- cracks, mounting, leaks, labeling
- ☒ 14. Emergency exits- roof hatches, side windows, labeling and operation
- ☒ 15. Multimedia system- PA, audio/video, CD/DVD, amp, speakers
- ☒ 16. HVAC- function, fans, motor brushes filters leaks
- ☒ 17. Passenger seats- mounting, seat belts, condition, sliding (if W/C equipped).
- ☒ 18. Interior lighting and markings
- ☒ 19. Luggage bays- latches, handles, door operation, lighting
- ☒ 20. Batteries- fluid, terminals, cables, corrosion, hold down, shut off switch
- ☒ 21. Engine bay- cleanliness, fluid leaks, fluid levels, belts, pulleys, mounts
- ☒ 22. Engine accessories- mounting, cables, hoses, function
- ☒ 23. Alternators- mounting, cables, ducting, pulleys, output
- ☒ 24. Exhaust- leaks, mounting, tail pipe, overall condition
- ☒ 25. Fuel system- leaks, hose routing, securement, tank mounting, filler necks/caps
- ☒ 26. Cooling system- leaks, radiator, hoses, miter box, fan clutch, coolant level
- ☒ 27. Air system overall- air dryer, valves, lines, hoses
- ☒ 28. Brakes- lining thickness, rotors, cracks, chambers, adjustment, operation
- ☒ 29. Parking brake- push/pull, release/apply, stays applied with complete loss of air
- ☒ 30. Wheels, tires- cracks, lug nuts/studs, tread depth, separation, pressure
- ☒ 31. Hubs- end play, leaks, ABS sensor, overall condition
- ☒ 32. Suspension- air bags, radius rods, bushings, shocks, mounting, leveling valves
- ☒ 33. Steering- king pins, ball joints, linkage, steering box, hoses, noise, function
- ☒ 34. Transmission/differential- function, leaks, fluid level, vents, mounting
- ☒ 35. Drive shaft- U-joints, slip joint, dents, clocking, safety hoop, straps, bolts
- ☒ 36. Frame- cracks, dents, damage, rust, holes, crossmembers, mounting
- ☒ 37. Chassis and undercarriage- overall condition, lubrication, dirt, grime build up
- ☒ 38. Wheelchair lift- operation, safetys, markings, leaks, fluid level, cleanliness

Microphone (Crew)  
replaced

TOP REAR LEFT RED & REAR  
CLEARANCE LIGHTS  
TOP RIGHT

Notes:

Mechanic:

James

Signature:

James A. Buffen

This inspection is equal to: Annual 49CFR 396.17-23 Appendix G and V/C 34505 Title 13 CCR 1232(b)

## VEHICLE REPAIR & SERVICE FORM

UNIT # 1506 DATE: 11-5-18 MILEAGE: 264,233 MECHANIC: James Grell

### ITEMS REPAIRED OR REPLACED

#### TIRES

Left front ☐ Right front ☐

Left O/drive ☐ Right O/drive ☐

Left I/drive ☐ Right I/drive ☐

Left tag ☐ Right tag ☐

#### TIRE PRESURES

Left front \_\_\_\_\_ Right front \_\_\_\_\_

Left O/dr \_\_\_\_\_ Right O/dr \_\_\_\_\_

Left I/dr \_\_\_\_\_ Right I/dr \_\_\_\_\_

Left tag \_\_\_\_\_ Right tag \_\_\_\_\_

#### BRAKE PADS

Left front ☐ Right front ☐

Left O/dr ☐ Right O/dr ☐

Left I/dr ☐ Right I/dr ☐

Left tag ☐ Right tag ☐

Windshields \_\_\_\_\_ Wiper Blades \_\_\_\_\_ Batteries \_\_\_\_\_

Engine belts: Cooling fans: \_\_\_\_\_ A/C: \_\_\_\_\_ Alts.: \_\_\_\_\_

#### Warranty Part Numbers for replacement:

1: \_\_\_\_\_

2: \_\_\_\_\_

3: \_\_\_\_\_

4: \_\_\_\_\_

5: \_\_\_\_\_

6: \_\_\_\_\_

#### LIST REPAIRS AND DISRIPTION OF WORK

REPLACED DRIVERS MICROPHONE WITH NEW ONE (GRELL)

CLEANED A/C FILTERS

REPLACED REAR TOP DRIVERS SIDE RED CLEARANCE  
LITE & TOP REAR RED CLEARANCE LITE ON DOOR SIDE WITH  
NEW ONES

TOTAL WORK HOURS: \_\_\_\_\_

MECHANIC'S SIGNATURE

James Grell

# Vehicle Inspection Report

UNIT# 1506

DATE 10-19-18

MILEAGE 260,479

OK DEF

- ☒ [ ] 1. Entrance door, operation, markings, hand rails
- ☒ [ ] 2. Instruments, dash lights, switches, knobs, levers, readouts, gauges
- ☒ [ ] 3. Horns- air and electric
- ☒ [ ] 4. Drivers seat- mounting, adjustment, seat belt
- ☒ [ ] 5. Air compressor/governor- cut in/cut out 85 min-130 max psi
- ☒ [ ] 6. Brake air leaks- 2 psi/minute (static), 3 psi/minute (applied)
- ☒ [ ] 7. Low air warning- audible and or visual 60 psi min
- ☒ [ ] 8. Air tanks- drain, test check valves, perform split system test
- ☒ [ ] 9. Fire extinguisher, triangle reflectors(3), first aid kit (optional)
- ☒ [ ] 10. Restroom- lighting, seat, venting, flush, dump valves, holding tank(s)
- ☒ [ ] 11. Exterior lights, turn signals, emergency flashers, back up alarm and lights
- ☒ [ ] 12. Windshields, wipers, squirter, defrosters, sun shades, mirrors
- ☒ [ ] 13. Windows- cracks, mounting, leaks, labeling
- ☒ [ ] 14. Emergency exits- roof hatches, side windows, labeling and operation
- ☒ [ ] 15. Multimedia system- PA, audio/video, CD/DVD, amp, speakers
- ☒ [ ] 16. HVAC- function, fans, motor brushes, filters, leaks
- ☒ [ ] 17. Passenger seats- mounting, seat belts, condition, sliding (if W/C equipped)
- ☒ [ ] 18. Interior lighting and markings
- ☒ [ ] 19. Luggage bays- latches, handles, door operation, lighting
- ☒ [ ] 20. Batteries- fluid, terminals, cables, corrosion, hold down, shut off switch
- ☒ [ ] 21. Engine bay- cleanliness, fluid leaks, fluid levels, belts, pulleys, mounts
- ☒ [ ] 22. Engine accessories- mounting, cables, hoses, function
- ☒ [ ] 23. Alternators- mounting, cables, ducting, pulleys, output
- ☒ [ ] 24. Exhaust- leaks, mounting, tail pipe, overall condition
- ☒ [ ] 25. Fuel system- leaks, hose routing, securement, tank mounting, filler necks/caps
- ☒ [ ] 26. Cooling system- leaks, radiator, hoses, miter box, fan clutch, coolant level
- ☒ [ ] 27. Air system overall- air dryer, valves, lines, hoses
- ☒ [ ] 28. Brakes- lining thickness, rotors, cracks, chambers, adjustment, operation
- ☒ [ ] 29. Parking brake- push/pull, release/apply, stays applied with complete loss of air
- ☒ [ ] 30. Wheels, tires- cracks, lug nuts/studs, tread depth, separation, pressure
- ☒ [ ] 31. Hubs- end play, leaks, ABS sensor, overall condition
- ☒ [ ] 32. Suspension- air bags, radius rods, bushings, shocks, mounting, leveling valves
- ☒ [ ] 33. Steering- king pins, ball joints, linkage, steering box, hoses, noise, function
- ☒ [ ] 34. Transmission/differential- function, leaks, fluid level, vents, mounting
- ☒ [ ] 35. Drive shaft- U-joints, slip joint, dents, clocking, safety hoop, straps, bolts
- ☒ [ ] 36. Frame- cracks, dents, damage, rust, holes, crossmembers, mounting
- ☒ [ ] 37. Chassis and undercarriage- overall condition, lubrication, dirt, grime build up
- ☒ [ ] 38. Wheelchair lift- operation, safety, markings, leaks, fluid level, cleanliness

TRANSMITTER FILTER  
REPLACE  
Replace 2 clamps

Notes:

Mechanic:

JAMES

Signature:

James A. Beifron

This inspection is equal to: Annual 49CFR 396.17-23 Appendix B and V/C 34505 Title 13 CCR 1232(b)

## VEHICLE REPAIR & SERVICE FORM

UNIT #: 1526 DATE: 10-19-18 MILEAGE: 260,479 MECHANIC: JAMES

### ITEMS REPAIRED OR REPLACED

#### TIRES

Left front ☐ Right front ☐

Left O/drive ☐ Right O/drive ☐

Left I/drive ☐ Right I/drive ☐

Left tag ☒ Right tag ☐

#### TIRE PRESURES

Left front \_\_\_\_\_ Right front \_\_\_\_\_

Left O/dr \_\_\_\_\_ Right O/dr \_\_\_\_\_

Left I/dr \_\_\_\_\_ Right I/dr \_\_\_\_\_

Left tag 120 Right tag \_\_\_\_\_

#### BRAKE PADS

Left front ☐ Right front ☐

Left O/dr ☐ Right O/dr ☐

Left I/dr ☐ Right I/dr ☐

Left tag ☐ Right tag ☐

Windshields \_\_\_\_\_ Wiper Blades \_\_\_\_\_ Batteries \_\_\_\_\_

Engine belts: Cooling fans: \_\_\_\_\_ A/C: \_\_\_\_\_ Alts.: \_\_\_\_\_

Warranty Part Numbers for replacement:

- 1: \_\_\_\_\_
- 2: \_\_\_\_\_
- 3: \_\_\_\_\_
- 4: \_\_\_\_\_
- 5: \_\_\_\_\_
- 6: \_\_\_\_\_

#### LIST REPAIRS AND DISCRIPTION OF WORK

Cleaned All A/C Belts & HVAC Radiator  
Replaced Left Tire with new one  
Replaced Bathroom Door Velcro Straps  
Replaced Canister Fuel Filter with new one  
Replaced RH Side Front Amber Flashing  
Clearance with new one

TOTAL WORK HOURS: \_\_\_\_\_

MECHANIC'S SIGNATURE

*James Bylan*

# Vehicle Inspection Report

UNIT# 1506 DATE 9-12-18 MILEAGE 260749

OK DEF

- ☒ 1. Entrance door, operation, markings, hand rails
- ☒ 2. Instruments, dash lights, switches, knobs, levers, readouts, gauges
- ☒ 3. Horns- air and electric
- ☒ 4. Drivers seat- mounting, adjustment, seat belt
- ☒ 5. Air compressor/governor- cut in/cut out 85 min-130 max psi
- ☒ 6. Brake air leaks- 2 psi/minute (static), 3 psi/minute (applied)
- ☒ 7. Low air warning- audible and or visual 60 psi min
- ☒ 8. Air tanks- drain, test check valves, perform split system test
- ☒ 9. Fire extinguisher, triangle reflectors(3), first aid kit (optional)
- ☒ 10. Restroom- lighting, seat, venting, flush, dump valves, holding tank(s)
- ☒ 11. Exterior lights, turn signals, emergency flashers, back up alarm and lights
- ☒ 12. Windshields, wipers, squirter, defrosters, sun shades, mirrors
- ☒ 13. Windows- cracks, mounting, leaks, labeling
- ☒ 14. Emergency exits- roof hatches, side windows, labeling and operation
- ☒ 15. Multimedia system- PA, audio/video, CD/DVD, amp, speakers
- ☒ 16. HVAC- function, fans, motor brushes, filters, leaks
- ☒ 17. Passenger seats- mounting, seat belts, condition, sliding (if W/C equipped)
- ☒ 18. Interior lighting and markings
- ☒ 19. Luggage bays- latches, handles, door operation, lighting
- ☒ 20. Batteries- fluid, terminals, cables, corrosion, hold down, shut off switch
- ☒ 21. Engine bay- cleanliness, fluid leaks, fluid levels, belts, pulleys, mounts
- ☒ 22. Engine accessories- mounting, cables, hoses, function
- ☒ 23. Alternators- mounting, cables, ducting, pulleys, output
- ☒ 24. Exhaust- leaks, mounting, tail pipe, overall condition
- ☒ 25. Fuel system- leaks, hose routing, securement, tank mounting, filler necks/caps
- ☒ 26. Cooling system- leaks, radiator, hoses, miter box, fan clutch, coolant level
- ☒ 27. Air system overall- air dryer, valves, lines, hoses
- ☒ 28. Brakes- lining thickness, rotors, cracks, chambers, adjustment, operation
- ☒ 29. Parking brake- push/pull, release/apply, stays applied with complete loss of air
- ☒ 30. Wheels, tires- cracks, lug nuts/studs, tread depth, separation, pressure
- ☒ 31. Hubs- end play, leaks, ABS sensor, overall condition
- ☒ 32. Suspension- air bags, radius rods, bushings, shocks, mounting, leveling valves
- ☒ 33. Steering- king pins, ball joints, linkage, steering box, hoses, noise, function
- ☒ 34. Transmission/differential- function, leaks, fluid level, vents, mounting
- ☒ 35. Drive shaft- U-joints, slip joint, dents, clocking, safety hoop, straps, bolts
- ☒ 36. Frame- cracks, dents, damage, rust, holes, crossmembers, mounting
- ☒ 37. Chassis and undercarriage- overall condition, lubrication, dirt, grime build up
- ☒ 38. Wheelchair lift- operation, safetys, markings, leaks, fluid level, cleanliness

Notes: \_\_\_\_\_

Mechanic: G F Signature: [Signature]

This inspection is equal to: Annual 49CFR 396.17-23 Appendix G and V/C 34505 Title 13 CCR 1232(b)



# Vehicle Inspection Report

UNIT# 1506

DATE 7-30-18

MILEAGE 250,716

OK DEF

- ☒ [ ] 1. Entrance door, operation, markings, hand rails
- ☒ [ ] 2. Instruments, dash lights, switches, knobs, levers, readouts, gauges
- ☒ [ ] 3. Horns- air and electric
- ☒ [ ] 4. Drivers seat- mounting, adjustment, seat belt
- ☒ [ ] 5. Air compressor/governor- cut in/cut out 85 min-130 max psi
- ☒ [ ] 6. Brake air leaks- 2 psi/minute (static), 3 psi/minute (applied)
- ☒ [ ] 7. Low air warning- audible and or visual 60 psi min
- ☒ [ ] 8. Air tanks- drain, test check valves, perform split system test
- ☒ [ ] 9. Fire extinguisher, triangle reflectors(3), first aid kit (optional)
- ☒ [ ] 10. Restroom- lighting, seat, venting, flush, dump valves, holding tank(s)
- ☒ [ ] 11. Exterior lights, turn signals, emergency flashers, back up alarm and lights
- ☒ [ ] 12. Windshields, wipers, squirters, defrosters, sun shades, mirrors
- ☒ [ ] 13. Windows- cracks, mounting, leaks, labeling
- ☒ [ ] 14. Emergency exits- roof hatches, side windows, labeling and operation
- ☒ [ ] 15. Multimedia system- PA, audio/video, CD/DVD, amp, speakers
- ☒ [ ] 16. HVAC- function, fans, motor brushes, filters, leaks
- ☒ [ ] 17. Passenger seats- mounting, seat belts, condition, sliding (if W/C equipped)
- ☒ [ ] 18. Interior lighting and markings
- ☒ [ ] 19. Luggage bays- latches, handles, door operation, lighting
- ☒ [ ] 20. Batteries- fluid, terminals, cables, corrosion, hold down, shut off switch
- ☒ [ ] 21. Engine bay- cleanliness, fluid leaks, fluid levels, belts, pulleys, mounts
- ☒ [ ] 22. Engine accessories- mounting, cables, hoses, function
- ☒ [ ] 23. Alternators- mounting, cables, ducting, pulleys, output
- ☒ [ ] 24. Exhaust- leaks, mounting, tail pipe, overall condition
- ☒ [ ] 25. Fuel system- leaks, hose routing, securement, tank mounting, filler necks/caps
- ☒ [ ] 26. Cooling system- leaks, radiator, hoses, miter box, fan clutch, coolant level
- ☒ [ ] 27. Air system overall- air dryer, valves, lines, hoses
- ☒ [ ] 28. Brakes- lining thickness, rotors, cracks, chambers, adjustment, operation
- ☒ [ ] 29. Parking brake- push/pull, release/apply, stays applied with complete loss of air
- ☒ [ ] 30. Wheels, tires- cracks, lug nuts/studs, tread depth, separation, pressure
- ☒ [ ] 31. Hubs- end play, leaks, ABS sensor, overall condition
- ☒ [ ] 32. Suspension- air bags, radius rods, bushings, shocks, mounting, leveling valves
- ☒ [ ] 33. Steering- king pins, ball joints, linkage, steering box, hoses, noise, function
- ☒ [ ] 34. Transmission/differential- function, leaks, fluid level, vents, mounting
- ☒ [ ] 35. Drive shaft- U-joints, slip joint, dents, clocking, safety hoop, straps, bolts
- ☒ [ ] 36. Frame- cracks, dents, damage, rust, holes, crossmembers, mounting
- ☒ [ ] 37. Chassis and undercarriage- overall condition, lubrication, dirt, grime build up
- ☒ [ ] 38. Wheelchair lift- operation, safety, markings, leaks, fluid level, cleanliness

Notes: \_\_\_\_\_

Mechanic: JAMES

Signature: James A. Bryson

This inspection is equal to: Annual 49CFR 396.17-23 Appendix G and V/C 34505 Title 13 CCR 1232(b)

## VEHICLE REPAIR & SERVICE FORM

UNIT # 1506 DATE 7-30-18 MILEAGE 250,716 MECHANIC: JAMES

### ITEMS REPAIRED OR REPLACED

#### TIRES

Left front ☐ Right front ☐

Left O/drive ☐ Right O/drive ☐

Left I/drive ☐ Right I/drive ☐

Left tag ☐ Right tag ☒

#### TIRE PRESURES

Left front \_\_\_\_\_ Right front \_\_\_\_\_

Left O/dr \_\_\_\_\_ Right O/dr \_\_\_\_\_

Left I/dr \_\_\_\_\_ Right I/dr \_\_\_\_\_

Left tag \_\_\_\_\_ Right tag 120

#### BRAKE PADS

Left front ☐ Right front ☐

Left O/dr ☐ Right O/dr ☐

Left I/dr ☐ Right I/dr ☐

Left tag ☐ Right tag ☐

Windshields \_\_\_\_\_ Wiper Blades \_\_\_\_\_ Batteries \_\_\_\_\_

Engine belts: Cooling fans: \_\_\_\_\_ A/C: \_\_\_\_\_ Alts.: \_\_\_\_\_

#### Warranty Part Numbers for replacement:

1: \_\_\_\_\_

2: \_\_\_\_\_

3: \_\_\_\_\_

4: \_\_\_\_\_

5: \_\_\_\_\_

6: \_\_\_\_\_

#### LIST REPAIRS AND DISCRIPTION OF WORK

REPLACED RH TAG TIRE WITH RUN OUT

TOTAL WORK HOURS: \_\_\_\_\_ MECHANIC'S SIGNATURE: James A. Brughin

# Vehicle Inspection Report

UNIT# 1506

DATE 7-16-18

MILEAGE 247,577

OK DEF

- ☒ 1. Entrance door, operation, markings, hand rails
- ☒ 2. Instruments, dash lights, switches, knobs, levers, readouts, gauges
- ☒ 3. Horns- air and electric
- ☒ 4. Drivers seat- mounting, adjustment, seat belt
- ☒ 5. Air compressor/governor- cut in/cut out 85 min-130 max psi
- ☒ 6. Brake air leaks- 2 psi/minute (static), 3 psi/minute (applied)
- ☒ 7. Low air warning- audible and or visual 60 psi min
- ☒ 8. Air tanks- drain, test check valves, perform split system test
- ☒ 9. Fire extinguisher, triangle reflectors(3), first aid kit (optional)
- ☒ 10. Restroom- lighting, seat, venting flush, dump valves, holding tank(s)
- ☒ 11. Exterior lights, turn signals, emergency flashers, back up alarm and lights - **EMERGENCY FLASHER**
- ☒ 12. Windshields, wipers, squirters, defrosters, sun shades, mirrors - **Filled DRIVER SIDE WIPER**
- ☒ 13. Windows- cracks, mounting, leaks, labeling **Reservoir**
- ☒ 14. Emergency exits- roof hatches, side windows, labeling and operation
- ☒ 15. Multimedia system- PA, audio/video, CD/DVD amp, speakers
- ☒ 16. HVAC- function, fans, motor brushes filters leaks
- ☒ 17. Passenger seats- mounting, seat belts, condition, sliding (if W/C equipped)
- ☒ 18. Interior lighting and markings
- ☒ 19. Luggage bays- latches, handles, door operation, lighting
- ☒ 20. Batteries- fluid, terminals, cables, corrosion, hold down, shut off switch
- ☒ 21. Engine bay- cleanliness, fluid leaks, fluid levels, belts, pulleys, mounts - **40K oil & FILTER CHANGE**
- ☒ 22. Engine accessories- mounting, cables, hoses, function
- ☒ 23. Alternators- mounting, cables, ducting, pulleys, output
- ☒ 24. Exhaust- leaks, mounting, tail pipe, overall condition
- ☒ 25. Fuel system- leaks, hose routing, securement, tank mounting, filler necks/caps
- ☒ 26. Cooling system- leaks, radiator, hoses, miter box, fan clutch coolant level **ADDED COOLANT**
- ☒ 27. Air system overall- air dryer, valves, lines, hoses
- ☒ 28. Brakes- lining thickness, rotors, cracks, chambers, adjustment, operation
- ☒ 29. Parking brake- push/pull, release/apply, stays applied with complete loss of air
- ☒ 30. Wheels, tires- cracks, lug nuts/studs, tread depth, separation, pressure
- ☒ 31. Hubs- end play, leaks, ABS sensor, overall condition
- ☒ 32. Suspension- air bags, radius rods, bushings, shocks, mounting, leveling valves
- ☒ 33. Steering- king pins, ball joints, linkage, steering box, hoses, noise, function
- ☒ 34. Transmission/differential- function, leaks, fluid level, vents, mounting
- ☒ 35. Drive shaft- U-joints, slip joint, dents, clocking, safety hoop, straps, bolts
- ☒ 36. Frame- cracks, dents, damage, rust, holes, crossmembers, mounting
- ☒ 37. Chassis and undercarriage- overall condition, lubrication, dirt, grime build up
- ☒ 38. Wheelchair lift- operation, safety, markings, leaks, fluid level, cleanliness

Notes:

Mechanic: JAMES

Signature: James A. Byham

This inspection is equal to: Annual 49CFR 396.17-23 Appendix G and V/C 34505 Title 13 CCR 1232(b)

## VEHICLE REPAIR & SERVICE FORM

UNIT #: 1506 DATE: 7-16-18 MILEAGE: 247,577 MECHANIC: JAMES

### ITEMS REPAIRED OR REPLACED

#### TIRES

Left front ☐ Right front ☐

Left O/drive ☐ Right O/drive ☐

Left I/drive ☐ Right I/drive ☐

Left tag ☐ Right tag ☐

#### TIRE PRESURES

Left front \_\_\_\_\_ Right front \_\_\_\_\_

Left O/dr \_\_\_\_\_ Right O/dr \_\_\_\_\_

Left I/dr \_\_\_\_\_ Right I/dr \_\_\_\_\_

Left tag \_\_\_\_\_ Right tag \_\_\_\_\_

#### BRAKE PADS

Left front ☐ Right front ☐

Left O/dr ☐ Right O/dr ☐

Left I/dr ☐ Right I/dr ☐

Left tag ☐ Right tag ☐

Windshields \_\_\_\_\_ Wiper Blades \_\_\_\_\_ Batteries \_\_\_\_\_

Engine belts: Cooling fans: \_\_\_\_\_ A/C: \_\_\_\_\_ Alts.: \_\_\_\_\_

Warranty Part Numbers for replacement:

1: \_\_\_\_\_

2: \_\_\_\_\_

3: \_\_\_\_\_

4: \_\_\_\_\_

5: \_\_\_\_\_

6: \_\_\_\_\_

#### LIST REPAIRS AND DISCRIPTION OF WORK

CLEANED ALL A/C FILTERS & BATHROOM VENT  
SCREEN

DRAINED OIL ADDED NEW REPLACED OIL FILTERS  
WITH NEW ONES (2) #1791 (1) #1660

REPLACED EMERGENCY AMBER FLASHING CLEARANCE LITE  
DRIVERS SIDE MIDDLE

FILLED WINDSHIELD WASHER FLUID RESEVOR  
ADDED 1 GALLON COOLANT

TOTAL WORK HOURS: \_\_\_\_\_

MECHANIC'S SIGNATURE: \_\_\_\_\_

*James W. Byham*

# Vehicle Inspection Report

UNIT# 1506

DATE 6-19-18

MILEAGE 241,727

OK DEF

- ☒ [ ] 1. Entrance door, operation, markings, hand rails
- ☒ [ ] 2. Instruments, dash lights, switches, knobs, levers, readouts, gauges
- ☒ [ ] 3. Horns- air and electric
- ☒ [ ] 4. Drivers seat- mounting, adjustment, seat belt
- ☒ [ ] 5. Air compressor/governor- cut in/cut out 85 min-130 max psi
- ☒ [ ] 6. Brake air leaks- 2 psi/minute (static), 3 psi/minute (applied)
- ☒ [ ] 7. Low air warning- audible and or visual 60 psi min
- ☒ [ ] 8. Air tanks- drain, test check valves, perform split system test
- ☒ [ ] 9. Fire extinguisher, triangle reflectors(3), first aid kit (optional)
- ☒ [ ] 10. Restroom- lighting, seat, venting flush, dump valves, holding tank(s)
- ☒ [ ] 11. Exterior lights, turn signals, emergency flashers, back up alarm and lights
- ☒ [ ] 12. Windshields, wipers, squirters, defrosters, sun shades, mirrors
- ☒ [ ] 13. Windows- cracks, mounting, leaks, labeling
- ☒ [ ] 14. Emergency exits- roof hatches, side windows, labeling and operation
- ☒ [ ] 15. Multimedia system- PA, audio/video, CD/DVD, amp, speakers
- ☒ [ ] 16. HVAC- function, fans, motor brushes, filters, leaks
- ☒ [ ] 17. Passenger seats- mounting, seat belts, condition, sliding (if W/C equipped)
- ☒ [ ] 18. Interior lighting and markings
- ☒ [ ] 19. Luggage bays- latches, handles, door operation, lighting
- ☒ [ ] 20. Batteries- fluid, terminals, cables, corrosion, hold down, shut off switch
- ☒ [ ] 21. Engine bay- cleanliness, fluid leaks, fluid levels, belts, pulleys, mounts
- ☒ [ ] 22. Engine accessories- mounting, cables, hoses, function
- ☒ [ ] 23. Alternators- mounting, cables, ducting, pulleys, output
- ☒ [ ] 24. Exhaust- leaks, mounting, tail pipe, overall condition
- ☒ [ ] 25. Fuel system- leaks, hose routing, securement, tank mounting, filler necks/caps
- ☒ [ ] 26. Cooling system- leaks, radiator, hoses, miter box, fan clutch, coolant level
- ☒ [ ] 27. Air system overall- air dryer, valves, lines, hoses
- ☒ [ ] 28. Brakes- lining thickness, rotors, cracks, chambers, adjustment, operation
- ☒ [ ] 29. Parking brake- release/pull, release/apply, stays applied with complete loss of air
- ☒ [ ] 30. Wheels tires cracks, lug nuts/studs, tread depth, separation, pressure
- ☒ [ ] 31. Hubs- end play, leaks, ABS sensor, overall condition
- ☒ [ ] 32. Suspension- air bags, radius rods, bushings, shocks, mounting, leveling valves
- ☒ [ ] 33. Steering- king pins, ball joints, linkage, steering box, hoses, noise, function
- ☒ [ ] 34. Transmission/differential- function, leaks, fluid level, vents, mounting
- ☒ [ ] 35. Drive shaft- U-joints, slip joint, dents, clocking, safety hoop, straps, bolts
- ☒ [ ] 36. Frame- cracks, dents, damage, rust, holes, crossmembers, mounting
- ☒ [ ] 37. Chassis and undercarriage- overall condition, lubrication, dirt, grime build up
- ☒ [ ] 38. Wheelchair lift- operation, safety, markings, leaks, fluid level, cleanliness

Notes: \_\_\_\_\_

Mechanic: JAMES

Signature: James A. Bryan

This inspection is equal to: Annual 49CFR 396.17-23 Appendix G and V/C 34505 Title 13 CCR 1232(b)

## VEHICLE REPAIR & SERVICE FORM

UNIT #: 1506 DATE: 6-19-18 MILEAGE: 241,727 MECHANIC: JAMES

### ITEMS REPAIRED OR REPLACED

#### TIRES

Left front ☒ Right front ☒  
Left O/drive [ ] Right O/drive [ ]  
Left I/drive [ ] Right I/drive [ ]  
Left tag ☒ Right tag [ ]

#### TIRE PRESURES

Left front 105 Right front 105  
Left O/dr \_\_\_\_\_ Right O/dr \_\_\_\_\_  
Left I/dr \_\_\_\_\_ Right I/dr \_\_\_\_\_  
Left tag 105 Right tag \_\_\_\_\_

#### BRAKE PADS

Left front [ ] Right front [ ]  
Left O/dr [ ] Right O/dr [ ]  
Left I/dr [ ] Right I/dr [ ]  
Left tag [ ] Right tag [ ]

Windshields \_\_\_\_\_ Wiper Blades \_\_\_\_\_ Batteries \_\_\_\_\_

Engine belts: Cooling fans: \_\_\_\_\_ A/C: \_\_\_\_\_ Alts.: \_\_\_\_\_

#### Warranty Part Numbers for replacement:

- 1: \_\_\_\_\_
- 2: \_\_\_\_\_
- 3: \_\_\_\_\_
- 4: \_\_\_\_\_
- 5: \_\_\_\_\_
- 6: \_\_\_\_\_

#### LIST REPAIRS AND DISCRIPTION OF WORK

CLEANED ALL A/C FILTERS & BATHROOM VENT SCREEN  
REPLACED LH & RH FRONT TIRES WITH NEW ONES  
REPLACED LH TAG TIRE WITH RUNOUT FROM LH FRONT

TOTAL WORK HOURS: \_\_\_\_\_

MECHANIC'S SIGNATURE: \_\_\_\_\_

*James A. Bynum*

# Vehicle Inspection Report

UNIT# 1506

DATE 5-1-18

MILEAGE 232,811

OK DEF

- ☒ [ ] 1. Entrance door, operation, markings, hand rails
- ☒ [ ] 2. Instruments, dash lights, switches, knobs, levers, readouts, gauges
- ☒ [ ] 3. Horns- air and electric
- ☒ [ ] 4. Drivers seat- mounting, adjustment, seat belt
- ☒ [ ] 5. Air compressor/governor- cut in/cut out 85 min-130 max psi
- ☒ [ ] 6. Brake air leaks- 2 psi/minute (static), 3 psi/minute (applied)
- ☒ [ ] 7. Low air warning- audible and or visual 60 psi min
- ☒ [ ] 8. Air tanks- drain, test check valves, perform split system test
- ☒ [ ] 9. Fire extinguisher, triangle reflectors(3), first aid kit (optional)
- ☒ [ ] 10. Restroom- lighting, seat, venting, flush, dump valves, holding tank(s)
- ☒ [ ] 11. Exterior lights, turn signals, emergency flashers, back up alarm and lights
- ☒ [ ] 12. Windshields, wipers, squirts, defrosters, sun shades, mirrors
- ☒ [ ] 13. Windows- cracks, mounting, leaks, labeling
- ☒ [ ] 14. Emergency exits- roof hatches, side windows, labeling and operation
- ☒ [ ] 15. Multimedia system- PA, audio/video, CD/DVD, amp, speakers
- ☒ [ ] 16. HVAC- function, fans, motor brushes, filters, leaks
- ☒ [ ] 17. Passenger seats- mounting, seat belts, condition, sliding (if W/C equipped)
- ☒ [ ] 18. Interior lighting and markings
- ☒ [ ] 19. Luggage bays- latches, handles, door operation, lighting
- ☒ [ ] 20. Batteries- fluid, terminals, cables, corrosion, hold down, shut off switch
- ☒ [ ] 21. Engine bay- cleanliness, fluid leaks, fluid levels, belts, pulleys, mounts
- ☒ [ ] 22. Engine accessories- mounting, cables, hoses, function
- ☒ [ ] 23. Alternators- mounting, cables, ducting, pulleys, output
- ☒ [ ] 24. Exhaust- leaks, mounting, tail pipe, overall condition
- ☒ [ ] 25. Fuel system- leaks, hose routing, securement, tank mounting, filler necks/caps
- ☒ [ ] 26. Cooling system- leaks, radiator, hoses, miter box, fan clutch, coolant level
- ☒ [ ] 27. Air system overall- air dryer, valves, lines, hoses
- ☒ [ ] 28. Brakes- lining thickness, rotors, cracks, chambers, adjustment, operation
- ☒ [ ] 29. Parking brake- push/pull, release/apply, stays applied with complete loss of air
- ☒ [ ] 30. Wheels, tires- cracks, lug nuts/studs, tread depth, separation, pressure
- ☒ [ ] 31. Hubs- end play, leaks, ABS sensor, overall condition
- ☒ [ ] 32. Suspension- air bags, radius rods, bushings, shocks, mounting, leveling valves
- ☒ [ ] 33. Steering- king pins, ball joints, linkage, steering box, hoses, noise, function
- ☒ [ ] 34. Transmission/differential- function, leaks, fluid level, vents, mounting
- ☒ [ ] 35. Drive shaft- U-joints, slip joint, dents, clocking, safety hoop, straps, bolts
- ☒ [ ] 36. Frame- cracks, dents, damage, rust, holes, crossmembers, mounting
- ☒ [ ] 37. Chassis and undercarriage- overall condition, lubrication, dirt, grime build up
- ☒ [ ] 38. Wheelchair lift- operation, safety, markings, leaks, fluid level, cleanliness

UPPER REAR RED CLEARANCE  
UPPER DOOR SIDE RED  
CLEARANCE DRIVER SIDE  
AMBER FLASHING EMERGENCY  
LITE

Notes:

Mechanic: JAMES

Signature: James A. Bingham

This inspection is equal to: Annual 49CFR 396.17-23 Appendix G and V/C 34505 Title 13 CCR 1232(b)

## VEHICLE REPAIR & SERVICE FORM

UNIT # 1506 DATE: 5-1-18 MILEAGE: 232,811 MECHANIC: JAMES

### ITEMS REPAIRED OR REPLACED

#### TIRES

Left front ☐ Right front ☐

Left O/drive ☐ Right O/drive ☐

Left I/drive ☐ Right I/drive ☐

Left tag ☐ Right tag ☐

#### TIRE PRESURES

Left front \_\_\_\_\_ Right front \_\_\_\_\_

Left O/dr \_\_\_\_\_ Right O/dr \_\_\_\_\_

Left I/dr \_\_\_\_\_ Right I/dr \_\_\_\_\_

Left tag \_\_\_\_\_ Right tag \_\_\_\_\_

#### BRAKE PADS

Left front ☐ Right front ☐

Left O/dr ☐ Right O/dr ☐

Left I/dr ☐ Right I/dr ☐

Left tag ☐ Right tag ☐

Windshields \_\_\_\_\_ Wiper Blades \_\_\_\_\_ Batteries \_\_\_\_\_

Engine belts: Cooling fans: \_\_\_\_\_ A/C: \_\_\_\_\_ Alts.: \_\_\_\_\_

#### Warranty Part Numbers for replacement:

1: \_\_\_\_\_

2: \_\_\_\_\_

3: \_\_\_\_\_

4: \_\_\_\_\_

5: \_\_\_\_\_

6: \_\_\_\_\_

#### LIST REPAIRS AND DISCRIPTION OF WORK

REPLACED UPPER REAR ABOVE ENGINE DOOR RED CLEARANCE  
LITE WITH NEW ONE

REPLACED UPPER REAR DOOR SIDE RED CLEARANCE LITE  
WITH NEW ONE

REPLACED AMBER FLASHING EMERGENCY LITE FRONT DRIVERS  
SIDE WITH NEW ONE

TOTAL WORK HOURS: \_\_\_\_\_

MECHANIC'S SIGNATURE: \_\_\_\_\_

*James A. Benfman*



## VEHICLE REPAIR & SERVICE FORM

UNIT #: 1506 DATE: 4-9-18 MILEAGE: 230,823 MECHANIC: JAMES

### ITEMS REPAIRED OR REPLACED

#### TIRES

Left front ☐ Right front ☐

Left O/drive ☐ Right O/drive ☐

Left I/drive ☐ Right I/drive ☐

Left tag ☐ Right tag ☒

#### TIRE PRESURES

Left front \_\_\_\_\_ Right front \_\_\_\_\_

Left O/dr \_\_\_\_\_ Right O/dr \_\_\_\_\_

Left I/dr \_\_\_\_\_ Right I/dr \_\_\_\_\_

Left tag \_\_\_\_\_ Right tag 105

#### BRAKE PADS

Left front ☐ Right front ☐

Left O/dr ☐ Right O/dr ☐

Left I/dr ☐ Right I/dr ☐

Left tag ☐ Right tag ☐

Windshields \_\_\_\_\_ Wiper Blades \_\_\_\_\_ Batteries \_\_\_\_\_

Engine belts: Cooling fans: \_\_\_\_\_ A/C: \_\_\_\_\_ Alts.: \_\_\_\_\_

Warranty Part Numbers for replacement:

1: \_\_\_\_\_

2: \_\_\_\_\_

3: \_\_\_\_\_

4: \_\_\_\_\_

5: \_\_\_\_\_

6: \_\_\_\_\_

#### LIST REPAIRS AND DISCRIPTION OF WORK

REPLACE RH TAG TIRE WITH RUN OUT  
REPLACED TWO SOLENOID RELAYS ON ENTRANCE  
DOOR FOR OPEN-CLOSE

TOTAL WORK HOURS: \_\_\_\_\_

MECHANIC'S SIGNATURE: \_\_\_\_\_

*James A. Blythe*

## VEHICLE REPAIR & SERVICE FORM

UNIT # 1506 DATE 4-4-18 MILEAGE: 229823 MECHANIC: JAMES/CREGB

### ITEMS REPAIRED OR REPLACED

#### TIRES

Left front ☐ Right front ☐

Left O/drive ☐ Right O/drive ☐

Left I/drive ☐ Right I/drive ☐

Left tag ☐ Right tag ☐

#### TIRE PRESURES

Left front Right front \_\_\_\_\_

Left O/dr Right O/dr

Left I/dr Right I/dr \_\_\_\_\_

Left tag Right tag \_\_\_\_\_

#### BRAKE PADS

Left front ☐ Right front ☐

Left O/dr ☐ Right O/dr ☐

Left I/dr ☐ Right I/dr ☐

Left tag ☐ Right tag ☐

Windshields \_\_\_\_\_ Wiper Blades 1 Batteries

Engine belts: Cooling fans: \_\_\_\_\_ A/C: \_\_\_\_\_ Alts.: \_\_\_\_\_

#### Warranty Part Numbers for replacement:

1: \_\_\_\_\_

2: \_\_\_\_\_

3: \_\_\_\_\_

4: \_\_\_\_\_

5: \_\_\_\_\_

6: \_\_\_\_\_

#### LIST REPAIRS AND DISCRIPTION OF WORK

REPLACED DOOR SIDE WINDSHIELD WITH NEW ONE  
REPLACED UPPER DRIVER SIDE WIPER WITH NEW ONE

TOTAL WORK HOURS: \_\_\_\_\_

MECHANIC'S SIGNATURE: James C. Byham

# Vehicle Inspection Report

UNIT# 1506

DATE 3-27-18

MILEAGE 229,407

OK DEF

- ☒ [ ] 1. Entrance door, operation, markings, hand rails
- ☒ [ ] 2. Instruments, dash lights, switches, knobs, levers, readouts, gauges
- ☒ [ ] 3. Horns- air and electric
- ☒ [ ] 4. Drivers seat- mounting, adjustment, seat belt
- ☒ [ ] 5. Air compressor/governor- cut in/cut out 85 min-130 max psi
- ☒ [ ] 6. Brake air leaks- 2 psi/minute (static), 3 psi/minute (applied)
- ☒ [ ] 7. Low air warning- audible and or visual 60 psi min
- ☒ [ ] 8. Air tanks- drain, test check valves, perform split system test
- ☒ [ ] 9. Fire extinguisher, triangle reflectors(3), first aid kit (optional)
- ☒ [ ] 10. Restroom- lighting, seat, venting, flush, dump valves, holding tank(s)
- ☒ [ ] 11. Exterior lights, turn signals, emergency flashers, back up alarm and lights
- ☒ [ ] 12. Windshields, wipers, squinters, defrosters, sun shades, mirrors
- ☒ [ ] 13. Windows- cracks, mounting, leaks, labeling
- ☒ [ ] 14. Emergency exits- roof hatches, side windows, labeling and operation
- ☒ [ ] 15. Multimedia system- PA, audio/video, CD/DVD, amp, speakers
- ☒ [ ] 16. HVAC- function, fans, motor brushes, filters, leaks
- ☒ [ ] 17. Passenger seats- mounting, seat belts, condition, sliding (if W/C equipped)
- ☒ [ ] 18. Interior lighting and markings
- ☒ [ ] 19. Luggage bays- latches, handles, door operation, lighting
- ☒ [ ] 20. Batteries- fluid, terminals, cables, corrosion, hold down, shut off switch
- ☒ [ ] 21. Engine bay- cleanliness, fluid leaks, fluid levels, belts, pulleys, mounts
- ☒ [ ] 22. Engine accessories- mounting, cables, hoses, function
- ☒ [ ] 23. Alternators- mounting, cables, ducting, pulleys, output
- ☒ [ ] 24. Exhaust- leaks, mounting, tail pipe, overall condition
- ☒ [ ] 25. Fuel system- leaks, hose routing, securement, tank mounting, filler necks/caps
- ☒ [ ] 26. Cooling system- leaks, radiator, hoses, miter box, fan clutch, coolant level
- ☒ [ ] 27. Air system overall- air dryer, valves, lines, hoses
- ☒ [ ] 28. Brakes- lining thickness, rotors, cracks, chambers, adjustment, operation
- ☒ [ ] 29. Parking brake- push/pull, release/apply, stays applied with complete loss of air
- ☒ [ ] 30. Wheels, tires- cracks, lug nuts/studs, tread depth, separation, pressure
- ☒ [ ] 31. Hubs- end play, leaks, ABS sensor, overall condition
- ☒ [ ] 32. Suspension- air bags, radius rods, bushings, shocks, mounting, leveling valves
- ☒ [ ] 33. Steering- king pins, ball joints, linkage, steering box, hoses, noise, function
- ☒ [ ] 34. Transmission/differential- function, leaks, fluid level, vents, mounting
- ☒ [ ] 35. Drive shaft- U-joints, slip joint, dents, clocking, safety hoop, straps, bolts
- ☒ [ ] 36. Frame- cracks, dents, damage, rust, holes, crossmembers, mounting
- ☒ [ ] 37. Chassis and undercarriage- overall condition, lubrication, dirt, grime build up
- ☒ [ ] 38. Wheelchair lift- operation, safety, markings, leaks, fluid level, cleanliness

PATCHED WITH FLEXSEAL LEAKS

Notes: \_\_\_\_\_

Mechanic: JAMES

Signature: James C. Bryan

This inspection is equal to: Annual 49CFR 396.17-23 Appendix G and V/C 34505 Title 13 CCR 1232(b)

# VEHICLE REPAIR & SERVICE FORM

UNIT # 1506 DATE: 3-27-18 MILEAGE: 229,407 MECHANIC: JAMES

## ITEMS REPAIRED OR REPLACED

### TIRES

Left front ☐ Right front ☐

Left O/drive ☐ Right O/drive ☐

Left I/drive ☐ Right I/drive ☐

Left tag ☐ Right tag ☐

### TIRE PRESURES

Left front \_\_\_\_\_ Right front \_\_\_\_\_

Left O/dr \_\_\_\_\_ Right O/dr \_\_\_\_\_

Left I/dr \_\_\_\_\_ Right I/dr \_\_\_\_\_

Left tag \_\_\_\_\_ Right tag \_\_\_\_\_

### BRAKE PADS

Left front ☐ Right front ☐

Left O/dr ☐ Right O/dr ☐

Left I/dr ☐ Right I/dr ☐

Left tag ☐ Right tag ☐

Windshields \_\_\_\_\_ Wiper Blades \_\_\_\_\_ Batteries \_\_\_\_\_

Engine belts: Cooling fans: \_\_\_\_\_ A/C: \_\_\_\_\_ Alts.: \_\_\_\_\_

Warranty Part Numbers for replacement:

1: \_\_\_\_\_

2: \_\_\_\_\_

3: \_\_\_\_\_

4: \_\_\_\_\_

5: \_\_\_\_\_

6: \_\_\_\_\_

### LIST REPAIRS AND DISCRIPTION OF WORK

PATCHED ROOF ESCAPE HATCHES WITH FLEX SEAL  
WHITE

ADDED COOLANT

TOTAL WORK HOURS: \_\_\_\_\_

MECHANIC'S SIGNATURE: \_\_\_\_\_

*James T. Bigham*